

Name:TRUMPET Usr.Lbl:T 3D™Lbl:...1
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 0.0	12.0 behind H2
2	8	A 25 yds 0.0	12.0 behind H2
3	16	A 25 yds 0.0	12.0 behind H2
4	24	A 25 yds 0.0	12.0 behind H2
5	32	A 25 yds 2.0	8.0 behind H2
6	56	A 35 yds 0.0	10.0 behind H1
7	80	A 40 yds 5.0	5.0 behind H1
8	92	A 35 yds 4.0	4.0 behind H1
9	112	A 25 yds 0.0	12.0 behind H1
10	136	A 25 yds 6.0	3.50 behind H1
11	154	A 20 yds 6.0	8.25 in front H1
12	163	A 25 yds 4.0	6.75 in front H1
13	181	A 40 yds 2.0	4.0 in front H1
14	199	A 45 yds 2.0	4.0 in front H1
15	217	A 40 yds 5.0	3.0 behind H1
16	235	A 30 yds 6.0	4.0 in front H1
17	244	A 30 yds 2.0	7.50 behind H1
18	253	A 30 yds 3.0	13.0 in front H2
19	271	A 35 yds 5.0	6.0 in front H2
20	283	A 40 yds 5.0	1.50 in front H2
21	299	A 45 yds 4.0	6.25 in front H2
22	307	B 45 yds 6.0	6.25 in front H2

Name:TRUMPET Usr.Lbl:T 3D™Lbl:...2
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 1.0	13.0 behind H2
2	8	A 25 yds 1.0	13.0 behind H2
3	16	A 25 yds 1.0	13.0 behind H2
4	24	A 25 yds 1.0	13.0 behind H2
5	32	A 25 yds 4.0	9.75 behind H2
6	56	A 35 yds 0.0	13.0 behind H1
7	80	A 40 yds 2.0	6.75 behind H1
8	92	A 35 yds 4.0	7.0 behind H1
9	112	A 25 yds 1.0	13.50 in front H2
10	136	A 25 yds 6.0	5.25 behind H1
11	154	A 20 yds 6.0	5.25 in front H1
12	163	A 25 yds 1.0	4.25 in front H1
13	181	A 35 yds 4.0	4.0 in front H1
14	199	A 40 yds 4.0	4.0 in front H1
15	217	A 35 yds 4.0	3.0 behind H1
16	235	A 30 yds 0.0	2.0 behind H1
17	244	A 25 yds 1.0	4.25 behind H1
18	253	A 30 yds 0.0	8.0 behind H1
19	271	A 35 yds 2.0	13.0 in front H2
20	283	A 40 yds 5.0	9.50 in front H2
21	299	A 45 yds 1.0	10.50 in front H2
22	307	B 50 yds 0.0	8.75 in front H2

Name:TRUMPET Usr.Lbl:T 3D™Lbl:...3
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 3.0	13.75 behind H2
2	8	A 25 yds 3.0	13.75 behind H2
3	16	A 25 yds 3.0	13.75 behind H2
4	24	A 25 yds 3.0	13.75 behind H2
5	32	A 25 yds 7.0	11.25 behind H2
6	56	A 35 yds 0.0	12.0 in front H2
7	80	A 40 yds 0.0	8.25 behind H1
8	92	A 35 yds 4.0	10.0 behind H1
9	112	A 25 yds 3.0	11.50 in front H2
10	136	A 25 yds 5.0	7.25 behind H1
11	154	A 20 yds 7.0	2.50 in front H1
12	163	A 20 yds 7.0	1.25 in front H1
13	181	A 30 yds 6.0	4.0 in front H1
14	199	A 35 yds 6.0	4.0 in front H1
15	217	A 30 yds 3.0	3.0 behind H1
16	235	A 25 yds 2.0	8.0 behind H1
17	244	A 20 yds 5.0	3.25 in front H1
18	253	A 25 yds 7.0	0.50 behind H1
19	271	A 35 yds 1.0	7.50 behind H1
20	283	A 40 yds 5.0	10.50 behind H1
21	299	A 45 yds 4.0	12.0 behind H1
22	307	B 45 yds 6.0	12.75 in front H2

Name:TRUMPET Usr.Lbl:T 3D™Lbl:...4
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 4.0	13.25 in front Back
2	8	A 25 yds 4.0	13.25 in front Back
3	16	A 25 yds 4.0	13.25 in front Back
4	24	A 25 yds 4.0	13.25 in front Back
5	32	A 30 yds 1.0	12.75 behind H2
6	56	A 35 yds 0.0	9.0 in front H2
7	80	A 35 yds 5.0	9.75 behind H1
8	92	A 35 yds 4.0	13.0 behind H1
9	112	A 25 yds 4.0	9.25 in front H2
10	136	A 25 yds 5.0	9.25 behind H1
11	154	A 25 yds 0.0	0.25 behind H1
12	163	A 25 yds 7.0	4.25 in front H1
13	181	A 40 yds 2.0	2.0 behind H1
14	199	A 45 yds 2.0	2.0 behind H1
15	217	A 45 yds 0.0	3.0 behind H1
16	235	A 35 yds 0.0	6.0 in front H1
17	244	A 30 yds 5.0	7.25 behind H1
18	253	A 30 yds 5.0	11.25 in front H2
19	271	A 35 yds 7.0	4.25 in front H2
20	283	A 40 yds 5.0	1.25 behind H2
21	299	A 45 yds 1.0	2.25 in front H2
22	307	B 50 yds 0.0	3.50 in front H2

Name:TRUMPET Usr.Lbl:T 3D™Lbl:...5
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 6.0	12.50 in front Back
2	8	A 25 yds 6.0	12.50 in front Back
3	16	A 25 yds 6.0	12.50 in front Back
4	24	A 25 yds 6.0	12.50 in front Back
5	32	A 30 yds 3.0	13.75 in front Back
6	56	A 35 yds 0.0	6.0 in front H2
7	80	A 35 yds 2.0	11.50 behind H1
8	92	A 35 yds 4.0	12.0 in front H2
9	112	A 25 yds 6.0	7.25 in front H2
10	136	A 25 yds 4.0	11.25 behind H1
11	154	A 25 yds 2.0	2.75 behind H1
12	163	A 25 yds 4.0	1.25 in front H1
13	181	A 35 yds 4.0	2.0 behind H1
14	199	A 40 yds 4.0	2.0 behind H1
15	217	A 35 yds 7.0	3.0 behind H1
16	235	A 30 yds 2.0	0.0 behind H1
17	244	A 25 yds 4.0	6.0 behind H1
18	253	A 30 yds 0.0	10.50 behind H1
19	271	A 35 yds 2.0	10.50 in front H2
20	283	A 40 yds 5.0	6.75 in front H2
21	299	A 45 yds 4.0	9.50 in front H2
22	307	B 45 yds 6.0	8.50 in front H2

Name:TRUMPET Usr.Lbl:T 3D™Lbl:...6
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 0.0	11.75 in front Back
2	8	A 30 yds 0.0	11.75 in front Back
3	16	A 30 yds 0.0	11.75 in front Back
4	24	A 30 yds 0.0	11.75 in front Back
5	32	A 30 yds 5.0	11.75 in front Back
6	56	A 35 yds 0.0	3.0 in front H2
7	80	A 35 yds 0.0	13.25 behind H1
8	92	A 35 yds 4.0	9.0 in front H2
9	112	A 30 yds 0.0	5.25 in front H2
10	136	A 25 yds 4.0	13.25 behind H1
11	154	A 25 yds 4.0	5.25 behind H1
12	163	A 25 yds 1.0	1.75 behind H1
13	181	A 30 yds 6.0	2.0 behind H1
14	199	A 35 yds 6.0	2.0 behind H1
15	217	A 30 yds 6.0	3.0 behind H1
16	235	A 25 yds 4.0	6.0 behind H1
17	244	A 20 yds 6.0	0.50 in front H1
18	253	A 25 yds 7.0	3.0 behind H1
19	271	A 35 yds 1.0	10.0 behind H1
20	283	A 40 yds 5.0	13.25 behind H1
21	299	A 45 yds 1.0	13.50 behind H1
22	307	B 50 yds 0.0	11.75 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 2.0	11.25 in front Back
2	8	A 30 yds 2.0	11.25 in front Back
3	16	A 30 yds 2.0	11.25 in front Back
4	24	A 30 yds 2.0	11.25 in front Back
5	32	A 35 yds 0.0	10.25 in front Back
6	56	A 35 yds 0.0	0.0 in front H2
7	80	A 30 yds 6.0	13.25 in front H2
8	92	A 35 yds 4.0	6.0 in front H2
9	112	A 30 yds 2.0	3.25 in front H2
10	136	A 25 yds 4.0	13.0 in front H2
11	154	A 25 yds 6.0	7.50 behind H1
12	163	A 30 yds 2.0	1.25 in front H1
13	181	A 40 yds 2.0	8.0 behind H1
14	199	A 45 yds 2.0	8.0 behind H1
15	217	A 45 yds 3.0	3.0 behind H1
16	235	A 35 yds 2.0	8.0 in front H1
17	244	A 35 yds 0.0	6.25 behind H1
18	253	A 30 yds 6.0	9.50 in front H2
19	271	A 40 yds 0.0	2.50 in front H2
20	283	A 40 yds 5.0	4.0 behind H2
21	299	A 45 yds 4.0	3.0 in front H2
22	307	B 45 yds 6.0	4.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 3.0	10.50 in front Back
2	8	A 30 yds 3.0	10.50 in front Back
3	16	A 30 yds 3.0	10.50 in front Back
4	24	A 30 yds 3.0	10.50 in front Back
5	32	A 35 yds 2.0	8.75 in front Back
6	56	A 35 yds 0.0	3.0 behind H2
7	80	A 30 yds 3.0	11.75 in front H2
8	92	A 35 yds 4.0	3.0 in front H2
9	112	A 30 yds 4.0	1.75 in front H2
10	136	A 25 yds 3.0	11.0 in front H2
11	154	A 30 yds 0.0	9.75 behind H1
12	163	A 25 yds 7.0	1.75 behind H1
13	181	A 35 yds 4.0	8.0 behind H1
14	199	A 40 yds 4.0	8.0 behind H1
15	217	A 40 yds 2.0	3.0 behind H1
16	235	A 30 yds 4.0	2.0 in front H1
17	244	A 25 yds 7.0	7.0 behind H1
18	253	A 30 yds 1.0	12.75 behind H1
19	271	A 35 yds 3.0	8.25 in front H2
20	283	A 40 yds 5.0	4.25 in front H2
21	299	A 45 yds 1.0	6.25 in front H2
22	307	B 50 yds 0.0	6.25 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 5.0	10.0 in front Back
2	8	A 30 yds 5.0	10.0 in front Back
3	16	A 30 yds 5.0	10.0 in front Back
4	24	A 30 yds 5.0	10.0 in front Back
5	32	A 35 yds 5.0	7.0 in front Back
6	56	A 35 yds 0.0	6.0 behind H2
7	80	A 30 yds 1.0	10.0 in front H2
8	92	A 35 yds 4.0	0.0 in front H2
9	112	A 30 yds 6.0	0.25 in front H2
10	136	A 25 yds 3.0	9.0 in front H2
11	154	A 30 yds 2.0	11.75 behind H1
12	163	A 25 yds 4.0	4.50 behind H1
13	181	A 30 yds 6.0	8.0 behind H1
14	199	A 35 yds 6.0	8.0 behind H1
15	217	A 35 yds 1.0	3.0 behind H1
16	235	A 25 yds 6.0	4.0 behind H1
17	244	A 20 yds 7.0	2.25 behind H1
18	253	A 25 yds 7.0	5.50 behind H1
19	271	A 35 yds 1.0	12.50 behind H1
20	283	A 40 yds 5.0	12.25 in front H2
21	299	A 45 yds 4.0	12.75 in front H2
22	307	B 45 yds 6.0	10.50 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 7.0	9.50 in front Back
2	8	A 30 yds 7.0	9.50 in front Back
3	16	A 30 yds 7.0	9.50 in front Back
4	24	A 30 yds 7.0	9.50 in front Back
5	32	A 40 yds 0.0	4.0 in front Back
6	56	A 35 yds 3.0	6.0 behind H2
7	80	A 45 yds 0.0	7.0 behind H1
8	92	A 40 yds 1.0	0.0 in front H2
9	112	A 35 yds 1.0	0.75 behind H2
10	136	A 40 yds 2.0	3.75 in front H2
11	154	A 45 yds 1.0	2.0 behind H2
12	163	A 40 yds 6.0	1.25 in front H2
13	181	A 45 yds 5.0	5.0 in front H2
14	199	A 35 yds 3.0	5.0 in front H2
15	217	A 25 yds 4.0	8.0 in front H2
16	235	A 30 yds 4.0	12.0 behind H1
17	244	A 35 yds 3.0	12.25 behind H1
18	253	A 35 yds 1.0	8.0 in front H2
19	271	A 40 yds 3.0	1.0 in front H2
20	283	A 40 yds 7.0	4.0 behind H2
21	299	A 45 yds 3.0	0.0 in front H2
22	307	B 45 yds 6.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 1.0	9.0 in front Back
2	8	A 35 yds 1.0	9.0 in front Back
3	16	A 35 yds 1.0	9.0 in front Back
4	24	A 35 yds 1.0	9.0 in front Back
5	32	A 40 yds 3.0	6.50 in front Back
6	56	A 35 yds 6.0	6.0 behind H2
7	80	A 45 yds 3.0	9.0 behind H1
8	92	A 40 yds 4.0	0.0 in front H2
9	112	A 35 yds 3.0	1.75 behind H2
10	136	A 40 yds 4.0	3.50 in front H2
11	154	A 45 yds 4.0	3.0 behind H2
12	163	A 45 yds 1.0	1.25 in front H2
13	181	B 50 yds 0.0	5.0 in front H2
14	199	A 35 yds 6.0	5.0 in front H2
15	217	A 30 yds 2.0	8.25 in front H2
16	235	A 35 yds 1.0	11.75 behind H1
17	244	A 35 yds 6.0	13.50 behind H1
18	253	A 35 yds 3.0	6.75 in front H2
19	271	A 40 yds 5.0	0.50 behind H2
20	283	A 45 yds 2.0	4.0 behind H2
21	299	A 45 yds 7.0	3.0 in front H2
22	307	B 45 yds 3.0	4.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 3.0	8.75 in front Back
2	8	A 35 yds 3.0	8.75 in front Back
3	16	A 35 yds 3.0	8.75 in front Back
4	24	A 35 yds 3.0	8.75 in front Back
5	32	A 40 yds 6.0	8.75 in front Back
6	56	A 40 yds 1.0	6.0 behind H2
7	80	A 45 yds 6.0	11.0 behind H1
8	92	A 40 yds 7.0	0.0 in front H2
9	112	A 35 yds 6.0	2.50 behind H2
10	136	A 40 yds 6.0	2.75 in front H2
11	154	A 45 yds 7.0	3.50 behind H2
12	163	A 45 yds 4.0	1.25 in front H2
13	181	B 45 yds 5.0	5.0 in front H2
14	199	A 40 yds 1.0	5.0 in front H2
15	217	A 35 yds 0.0	8.0 in front H2
16	235	A 40 yds 0.0	12.0 behind H1
17	244	A 40 yds 1.0	13.50 in front H2
18	253	A 35 yds 5.0	5.75 in front H2
19	271	A 40 yds 7.0	1.25 behind H2
20	283	A 45 yds 5.0	4.0 behind H2
21	299	A 45 yds 7.0	0.0 in front H2
22	307	B 45 yds 3.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 4.0	8.25 in front Back
2	8	A 35 yds 4.0	8.25 in front Back
3	16	A 35 yds 4.0	8.25 in front Back
4	24	A 35 yds 4.0	8.25 in front Back
5	32	A 45 yds 1.0	11.25 in front Back
6	56	A 40 yds 4.0	6.0 behind H2
7	80	B 45 yds 6.0	13.0 behind H1
8	92	A 45 yds 2.0	0.0 in front H2
9	112	A 40 yds 0.0	3.25 behind H2
10	136	A 45 yds 0.0	2.50 in front H2
11	154	B 45 yds 6.0	3.75 behind H2
12	163	A 45 yds 7.0	1.25 in front H2
13	181	B 45 yds 2.0	5.0 in front H2
14	199	A 40 yds 4.0	5.0 in front H2
15	217	A 35 yds 6.0	8.0 in front H2
16	235	A 40 yds 6.0	12.0 behind H1
17	244	A 40 yds 3.0	12.75 in front H2
18	253	A 40 yds 0.0	5.0 in front H2
19	271	A 45 yds 2.0	2.0 behind H2
20	283	A 45 yds 7.0	4.0 behind H2
21	299	B 45 yds 5.0	3.0 in front H2
22	307	B 45 yds 1.0	4.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 6.0	7.75 in front Back
2	8	A 35 yds 6.0	7.75 in front Back
3	16	A 35 yds 6.0	7.75 in front Back
4	24	A 35 yds 6.0	7.75 in front Back
5	32	A 45 yds 4.0	13.75 in front Back
6	56	A 40 yds 7.0	6.0 behind H2
7	80	B 45 yds 3.0	13.0 in front H2
8	92	A 45 yds 5.0	0.0 in front H2
9	112	A 40 yds 3.0	3.75 behind H2
10	136	A 45 yds 2.0	2.0 in front H2
11	154	B 45 yds 3.0	3.50 behind H2
12	163	B 45 yds 5.0	1.25 in front H2
13	181	B 40 yds 7.0	5.0 in front H2
14	199	A 40 yds 7.0	5.0 in front H2
15	217	A 40 yds 4.0	8.0 in front H2
16	235	A 45 yds 4.0	12.0 behind H1
17	244	A 40 yds 6.0	12.0 in front H2
18	253	A 40 yds 2.0	4.75 in front H2
19	271	A 45 yds 4.0	2.25 behind H2
20	283	B 45 yds 5.0	4.0 behind H2
21	299	B 45 yds 4.0	0.0 in front H2
22	307	B 45 yds 1.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 0.0	7.75 in front Back
2	8	A 40 yds 0.0	7.75 in front Back
3	16	A 40 yds 0.0	7.75 in front Back
4	24	A 40 yds 0.0	7.75 in front Back
5	32	B 50 yds 0.0	12.0 behind H2
6	56	A 45 yds 2.0	6.0 behind H2
7	80	B 45 yds 0.0	11.0 in front H2
8	92	B 50 yds 0.0	0.0 in front H2
9	112	A 40 yds 6.0	4.0 behind H2
10	136	A 45 yds 4.0	1.50 in front H2
11	154	B 45 yds 0.0	2.75 behind H2
12	163	B 45 yds 2.0	1.25 in front H2
13	181	B 40 yds 4.0	5.0 in front H2
14	199	A 45 yds 2.0	5.0 in front H2
15	217	A 45 yds 2.0	8.0 in front H2
16	235	B 45 yds 6.0	12.0 behind H1
17	244	A 45 yds 1.0	11.75 in front H2
18	253	A 40 yds 5.0	4.75 in front H2
19	271	A 45 yds 7.0	2.25 behind H2
20	283	B 45 yds 2.0	4.0 behind H2
21	299	B 45 yds 2.0	3.0 in front H2
22	307	B 40 yds 7.0	4.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 2.0	7.75 in front Back
2	8	A 40 yds 2.0	7.75 in front Back
3	16	A 40 yds 2.0	7.75 in front Back
4	24	A 45 yds 2.0	12.0 behind H2
5	32	A 40 yds 0.0	3.0 behind H2
6	56	A 35 yds 3.0	5.0 in front H2
7	80	B 40 yds 4.0	8.75 in front H2
8	92	B 45 yds 5.0	0.0 in front H2
9	112	A 45 yds 0.0	4.25 behind H2
10	136	A 45 yds 6.0	1.0 in front H2
11	154	B 40 yds 5.0	1.75 behind H2
12	163	B 40 yds 7.0	1.25 in front H2
13	181	B 40 yds 1.0	5.0 in front H2
14	199	A 45 yds 5.0	5.0 in front H2
15	217	B 50 yds 0.0	8.0 in front H2
16	235	B 45 yds 0.0	12.0 behind H1
17	244	A 45 yds 7.0	12.0 in front H2
18	253	A 45 yds 2.0	5.75 in front H2
19	271	B 45 yds 3.0	1.50 behind H2
20	283	B 40 yds 5.0	4.0 behind H2
21	299	B 40 yds 7.0	3.0 in front H2
22	307	B 40 yds 5.0	4.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 4.0	7.50 in front Back
2	8	A 40 yds 4.0	7.50 in front Back
3	16	A 40 yds 4.0	7.50 in front Back
4	24	A 45 yds 4.0	12.0 behind H2
5	32	A 40 yds 2.0	4.0 behind H2
6	56	A 35 yds 6.0	5.0 in front H2
7	80	B 40 yds 2.0	6.75 in front H2
8	92	B 45 yds 2.0	0.0 in front H2
9	112	A 45 yds 3.0	4.50 behind H2
10	136	B 50 yds 0.0	0.50 in front H2
11	154	B 40 yds 2.0	0.50 behind H2
12	163	B 40 yds 4.0	1.25 in front H2
13	181	B 35 yds 6.0	5.0 in front H2
14	199	B 50 yds 0.0	5.0 in front H2
15	217	B 45 yds 2.0	8.0 in front H2
16	235	B 40 yds 2.0	12.0 behind H1
17	244	B 45 yds 2.0	13.75 in front H2
18	253	A 45 yds 6.0	7.50 in front H2
19	271	B 40 yds 7.0	0.50 in front H2
20	283	B 40 yds 0.0	4.0 behind H2
21	299	B 40 yds 3.0	3.0 in front H2
22	307	B 40 yds 3.0	4.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 5.0	7.50 in front Back
2	8	A 40 yds 5.0	7.50 in front Back
3	16	A 40 yds 5.0	7.50 in front Back
4	24	A 45 yds 6.0	12.0 behind H2
5	32	A 40 yds 5.0	5.0 behind H2
6	56	A 40 yds 1.0	5.0 in front H2
7	80	B 40 yds 0.0	4.75 in front H2
8	92	B 40 yds 7.0	0.0 in front H2
9	112	A 45 yds 6.0	4.50 behind H2
10	136	B 45 yds 6.0	0.25 in front H2
11	154	B 40 yds 0.0	1.25 in front H2
12	163	B 40 yds 1.0	1.25 in front H2
13	181	B 35 yds 3.0	5.0 in front H2
14	199	B 45 yds 5.0	5.0 in front H2
15	217	B 40 yds 4.0	8.0 in front H2
16	235	B 35 yds 4.0	12.0 behind H1
17	244	B 40 yds 4.0	11.75 behind H1
18	253	B 45 yds 5.0	10.75 in front H2
19	271	B 40 yds 3.0	3.75 in front H2
20	283	B 35 yds 2.0	4.0 behind H2
21	299	B 40 yds 0.0	3.0 in front H2
22	307	B 40 yds 1.0	4.0 in front H2

Name:TROMBONE Usr.Lbl:B 3D™Lbl:..19
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 7.0	7.50 in front Back
2	8	A 40 yds 7.0	7.50 in front Back
3	16	A 40 yds 7.0	7.50 in front Back
4	24	B 50 yds 0.0	12.0 behind H2
5	32	A 45 yds 0.0	6.0 behind H2
6	56	A 40 yds 4.0	5.0 in front H2
7	80	B 35 yds 5.0	3.75 in front H2
8	92	B 40 yds 4.0	0.0 in front H2
9	112	B 45 yds 7.0	4.50 behind H2
10	136	B 45 yds 5.0	2.0 in front H2
11	154	B 35 yds 6.0	3.25 in front H2
12	163	B 35 yds 6.0	1.25 in front H2
13	181	B 35 yds 0.0	5.0 in front H2
14	199	B 45 yds 2.0	5.0 in front H2
15	217	B 35 yds 6.0	8.0 in front H2
16	235	B 30 yds 6.0	12.0 behind H1
17	244	B 40 yds 0.0	8.50 behind H1
18	253	B 45 yds 1.0	13.50 behind H1
19	271	B 35 yds 7.0	7.75 in front H2
20	283	B 35 yds 0.0	1.25 behind H2
21	299	B 35 yds 7.0	4.75 in front H2
22	307	B 40 yds 0.0	5.25 in front H2

Name:TROMBONE Usr.Lbl:B 3D™Lbl:..20
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 1.0	7.50 in front Back
2	8	A 45 yds 1.0	7.50 in front Back
3	16	A 45 yds 1.0	7.50 in front Back
4	24	B 45 yds 6.0	12.0 behind H2
5	32	A 45 yds 2.0	7.0 behind H2
6	56	A 40 yds 7.0	5.0 in front H2
7	80	B 35 yds 2.0	3.25 in front H2
8	92	B 40 yds 1.0	0.0 in front H2
9	112	B 45 yds 4.0	4.25 behind H2
10	136	B 45 yds 5.0	3.75 in front H2
11	154	B 35 yds 4.0	5.50 in front H2
12	163	B 35 yds 3.0	1.25 in front H2
13	181	B 30 yds 5.0	5.0 in front H2
14	199	B 40 yds 7.0	5.0 in front H2
15	217	B 35 yds 0.0	8.0 in front H2
16	235	B 30 yds 0.0	12.0 behind H1
17	244	B 35 yds 4.0	4.0 behind H1
18	253	B 40 yds 7.0	8.75 behind H1
19	271	B 35 yds 5.0	12.25 in front H2
20	283	B 35 yds 0.0	4.25 in front H2
21	299	B 35 yds 7.0	7.75 in front H2
22	307	B 40 yds 0.0	7.25 in front H2

Name:TROMBONE Usr.Lbl:B 3D™Lbl:..21
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 3.0	7.75 in front Back
2	8	A 45 yds 3.0	7.75 in front Back
3	16	A 45 yds 3.0	7.75 in front Back
4	24	B 45 yds 4.0	12.0 behind H2
5	32	A 45 yds 5.0	8.0 behind H2
6	56	A 45 yds 2.0	5.0 in front H2
7	80	B 30 yds 7.0	3.25 in front H2
8	92	B 35 yds 6.0	0.0 in front H2
9	112	B 45 yds 1.0	4.25 behind H2
10	136	B 45 yds 4.0	5.75 in front H2
11	154	B 35 yds 2.0	8.25 in front H2
12	163	B 35 yds 0.0	1.25 in front H2
13	181	B 30 yds 2.0	5.0 in front H2
14	199	B 40 yds 4.0	5.0 in front H2
15	217	B 35 yds 0.0	14.0 in front H2
16	235	B 30 yds 6.0	8.0 behind H1
17	244	B 35 yds 5.0	6.25 behind H1
18	253	B 45 yds 0.0	11.25 behind H1
19	271	B 35 yds 6.0	9.75 in front H2
20	283	B 35 yds 0.0	1.50 in front H2
21	299	B 35 yds 4.0	4.25 in front H2
22	307	B 35 yds 6.0	4.75 in front H2

Name:TROMBONE Usr.Lbl:B 3D™Lbl:..22
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 5.0	7.75 in front Back
2	8	A 45 yds 5.0	7.75 in front Back
3	16	A 45 yds 5.0	7.75 in front Back
4	24	B 45 yds 2.0	12.0 behind H2
5	32	B 50 yds 0.0	9.0 behind H2
6	56	A 45 yds 5.0	5.0 in front H2
7	80	B 30 yds 4.0	3.75 in front H2
8	92	B 35 yds 3.0	0.0 in front H2
9	112	B 40 yds 7.0	3.75 behind H2
10	136	B 45 yds 4.0	7.75 in front H2
11	154	B 35 yds 1.0	10.75 in front H2
12	163	B 35 yds 0.0	4.25 in front H2
13	181	B 30 yds 4.0	7.0 in front H2
14	199	B 40 yds 4.0	8.0 in front H2
15	217	B 35 yds 6.0	14.0 in front H2
16	235	B 35 yds 4.0	8.0 behind H1
17	244	B 40 yds 2.0	10.25 behind H1
18	253	B 45 yds 3.0	12.50 in front H2
19	271	B 40 yds 1.0	5.50 in front H2
20	283	B 35 yds 0.0	4.0 behind H2
21	299	B 35 yds 4.0	0.0 in front H2
22	307	B 35 yds 6.0	2.0 in front H2

Name:TROMBONE Usr.Lbl:B 3D™Lbl:..23
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 7.0	8.25 in front Back
2	8	A 45 yds 7.0	8.25 in front Back
3	16	A 45 yds 7.0	8.25 in front Back
4	24	B 45 yds 0.0	12.0 behind H2
5	32	B 45 yds 5.0	10.0 behind H2
6	56	B 50 yds 0.0	5.0 in front H2
7	80	B 30 yds 2.0	5.25 in front H2
8	92	B 35 yds 0.0	0.0 in front H2
9	112	B 40 yds 1.0	2.75 behind H2
10	136	B 45 yds 3.0	11.75 in front H2
11	154	B 35 yds 0.0	13.75 in front H2
12	163	B 35 yds 0.0	7.25 in front H2
13	181	B 30 yds 6.0	9.0 in front H2
14	199	B 40 yds 4.0	11.0 in front H2
15	217	B 40 yds 4.0	14.0 in front H2
16	235	B 40 yds 2.0	8.0 behind H1
17	244	B 40 yds 7.0	13.25 behind H1
18	253	B 45 yds 6.0	8.75 in front H2
19	271	B 40 yds 4.0	1.75 in front H2
20	283	B 35 yds 5.0	4.0 behind H2
21	299	B 40 yds 0.0	0.0 in front H2
22	307	B 40 yds 0.0	2.0 in front H2

Name:TROMBONE Usr.Lbl:B 3D™Lbl:..24
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 7.0	8.75 in front Back
2	8	B 45 yds 7.0	8.75 in front Back
3	16	B 45 yds 7.0	8.75 in front Back
4	24	B 40 yds 6.0	12.0 behind H2
5	32	B 45 yds 2.0	11.0 behind H2
6	56	B 45 yds 5.0	5.0 in front H2
7	80	B 25 yds 7.0	6.75 in front H2
8	92	B 35 yds 0.0	3.0 in front H2
9	112	B 35 yds 4.0	0.75 behind H2
10	136	B 45 yds 2.0	12.50 behind H1
11	154	B 35 yds 0.0	11.50 behind H1
12	163	B 35 yds 0.0	10.25 in front H2
13	181	B 35 yds 0.0	11.0 in front H2
14	199	B 40 yds 4.0	14.0 in front H2
15	217	B 45 yds 2.0	14.0 in front H2
16	235	B 45 yds 0.0	8.0 behind H1
17	244	B 45 yds 5.0	12.75 in front H2
18	253	A 45 yds 4.0	6.25 in front H2
19	271	B 45 yds 1.0	0.75 behind H2
20	283	B 40 yds 2.0	4.0 behind H2
21	299	B 40 yds 4.0	0.0 in front H2
22	307	B 40 yds 3.0	2.0 in front H2

Name:TROMBONE Usr.Lbl:B 3D™Lbl:...25
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 5.0	9.0 in front Back
2	8	B 45 yds 5.0	9.0 in front Back
3	16	B 45 yds 5.0	9.0 in front Back
4	24	B 40 yds 4.0	12.0 behind H2
5	32	B 45 yds 0.0	12.0 behind H2
6	56	B 45 yds 2.0	5.0 in front H2
7	80	B 25 yds 5.0	9.25 in front H2
8	92	B 35 yds 0.0	6.0 in front H2
9	112	B 30 yds 7.0	1.50 in front H2
10	136	B 45 yds 1.0	8.50 behind H1
11	154	B 35 yds 0.0	8.50 behind H1
12	163	B 35 yds 0.0	13.25 in front H2
13	181	B 35 yds 2.0	13.0 in front H2
14	199	B 40 yds 4.0	11.0 behind H1
15	217	B 50 yds 0.0	14.0 in front H2
16	235	B 45 yds 6.0	8.0 behind H1
17	244	A 45 yds 4.0	11.75 in front H2
18	253	A 40 yds 7.0	5.25 in front H2
19	271	B 45 yds 6.0	1.75 behind H2
20	283	B 45 yds 0.0	4.0 behind H2
21	299	B 45 yds 0.0	0.0 in front H2
22	307	B 40 yds 6.0	2.0 in front H2

Name:ALTO HORN Usr.Lbl:H 3D™Lbl:...26
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 3.0	9.50 in front Back
2	8	B 45 yds 3.0	9.50 in front Back
3	16	B 45 yds 3.0	9.50 in front Back
4	24	B 40 yds 2.0	12.0 behind H2
5	32	B 40 yds 5.0	13.0 behind H2
6	56	B 40 yds 7.0	5.0 in front H2
7	80	B 25 yds 4.0	11.75 in front H2
8	92	B 35 yds 0.0	9.0 in front H2
9	112	B 30 yds 3.0	4.75 in front H2
10	136	B 45 yds 0.0	4.75 behind H1
11	154	B 35 yds 0.0	5.50 behind H1
12	163	B 35 yds 0.0	11.75 behind H1
13	181	B 35 yds 4.0	13.0 behind H1
14	199	B 35 yds 0.0	8.0 behind H1
15	217	B 35 yds 0.0	8.0 behind H1
16	235	B 35 yds 4.0	4.0 behind H1
17	244	B 40 yds 5.0	3.0 behind H1
18	253	B 40 yds 6.0	6.25 behind H1
19	271	B 35 yds 4.0	13.25 behind H1
20	283	B 35 yds 0.0	6.75 in front H2
21	299	B 35 yds 4.0	8.25 in front H2
22	307	B 35 yds 6.0	7.50 in front H2

Name:ALTO HORN Usr.Lbl:H 3D™Lbl:...27
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 1.0	10.0 in front Back
2	8	B 45 yds 1.0	10.0 in front Back
3	16	B 45 yds 1.0	10.0 in front Back
4	24	B 40 yds 0.0	12.0 behind H2
5	32	B 40 yds 2.0	14.0 behind H2
6	56	B 40 yds 4.0	5.0 in front H2
7	80	B 25 yds 3.0	13.50 behind H1
8	92	B 35 yds 0.0	12.0 in front H2
9	112	B 30 yds 0.0	9.50 in front H2
10	136	B 40 yds 7.0	0.75 behind H1
11	154	B 35 yds 1.0	2.50 behind H1
12	163	B 35 yds 0.0	8.75 behind H1
13	181	B 35 yds 6.0	11.0 behind H1
14	199	B 35 yds 0.0	2.0 behind H1
15	217	B 35 yds 0.0	2.0 behind H1
16	235	B 40 yds 2.0	0.0 behind H1
17	244	B 40 yds 5.0	3.0 in front H1
18	253	B 40 yds 6.0	1.25 behind H1
19	271	B 35 yds 4.0	8.25 behind H1
20	283	B 35 yds 0.0	12.25 in front H2
21	299	B 35 yds 4.0	12.50 in front H2
22	307	B 35 yds 6.0	10.50 in front H2

Name:ALTO HORN Usr.Lbl:H 3D™Lbl:...28
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 7.0	10.75 in front Back
2	8	B 40 yds 7.0	10.75 in front Back
3	16	B 40 yds 7.0	10.75 in front Back
4	24	B 35 yds 6.0	12.0 behind H2
5	32	B 35 yds 7.0	13.0 in front Back
6	56	B 40 yds 1.0	5.0 in front H2
7	80	B 25 yds 3.0	10.50 behind H1
8	92	B 35 yds 0.0	13.0 behind H1
9	112	B 25 yds 7.0	13.25 behind H1
10	136	B 40 yds 6.0	3.25 in front H1
11	154	B 35 yds 2.0	0.50 in front H1
12	163	B 35 yds 0.0	5.75 behind H1
13	181	B 40 yds 0.0	9.0 behind H1
14	199	B 35 yds 0.0	4.0 in front H1
15	217	B 35 yds 0.0	4.0 in front H1
16	235	B 45 yds 0.0	4.0 in front H1
17	244	B 40 yds 5.0	9.0 in front H1
18	253	B 40 yds 7.0	3.75 in front H1
19	271	B 35 yds 5.0	3.25 behind H1
20	283	B 35 yds 0.0	10.50 behind H1
21	299	B 35 yds 4.0	11.50 behind H1
22	307	B 35 yds 6.0	13.25 in front H2

Name:ALTO HORN Usr.Lbl:H 3D™Lbl:...29
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 6.0	11.25 in front Back
2	8	B 40 yds 6.0	11.25 in front Back
3	16	B 40 yds 6.0	11.25 in front Back
4	24	B 35 yds 4.0	12.0 behind H2
5	32	B 35 yds 5.0	12.0 in front Back
6	56	B 35 yds 6.0	5.0 in front H2
7	80	B 25 yds 3.0	7.50 behind H1
8	92	B 35 yds 0.0	10.0 behind H1
9	112	B 30 yds 0.0	7.75 behind H1
10	136	B 40 yds 5.0	7.25 in front H1
11	154	B 35 yds 3.0	2.75 in front H1
12	163	B 35 yds 0.0	2.75 behind H1
13	181	B 40 yds 2.0	7.0 behind H1
14	199	B 35 yds 6.0	8.0 behind H1
15	217	B 35 yds 6.0	8.0 behind H1
16	235	B 40 yds 2.0	4.0 behind H1
17	244	B 40 yds 5.0	0.0 behind H1
18	253	B 40 yds 6.0	3.75 behind H1
19	271	B 35 yds 4.0	10.75 behind H1
20	283	B 35 yds 0.0	9.50 in front H2
21	299	B 35 yds 7.0	11.0 in front H2
22	307	B 40 yds 0.0	9.50 in front H2

Name:ALTO HORN Usr.Lbl:H 3D™Lbl:...30
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 4.0	11.75 in front Back
2	8	B 40 yds 4.0	11.75 in front Back
3	16	B 40 yds 4.0	11.75 in front Back
4	24	B 35 yds 2.0	12.0 behind H2
5	32	B 35 yds 2.0	11.0 in front Back
6	56	B 35 yds 3.0	5.0 in front H2
7	80	B 25 yds 4.0	4.75 behind H1
8	92	B 35 yds 0.0	7.0 behind H1
9	112	B 30 yds 3.0	3.75 behind H1
10	136	B 40 yds 5.0	11.0 in front H1
11	154	B 35 yds 5.0	5.25 in front H1
12	163	B 35 yds 0.0	0.25 in front H1
13	181	B 40 yds 3.0	5.0 behind H1
14	199	B 35 yds 6.0	2.0 behind H1
15	217	B 35 yds 6.0	2.0 behind H1
16	235	B 45 yds 0.0	0.0 behind H1
17	244	B 40 yds 5.0	6.0 in front H1
18	253	B 40 yds 7.0	1.25 in front H1
19	271	B 35 yds 5.0	5.75 behind H1
20	283	B 35 yds 0.0	13.25 behind H1
21	299	B 35 yds 7.0	13.75 behind H1
22	307	B 40 yds 0.0	11.75 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 2.0	12.75 in front Back
2	8	B 40 yds 2.0	12.75 in front Back
3	16	B 40 yds 2.0	12.75 in front Back
4	24	B 35 yds 0.0	12.0 behind H2
5	32	B 35 yds 0.0	10.0 in front Back
6	56	B 35 yds 0.0	5.0 in front H2
7	80	B 25 yds 6.0	2.0 behind H1
8	92	B 35 yds 0.0	4.0 behind H1
9	112	B 35 yds 0.0	0.0 behind H1
10	136	B 45 yds 1.0	12.50 in front H1
11	154	B 35 yds 7.0	7.50 in front H1
12	163	B 35 yds 3.0	0.25 in front H1
13	181	B 40 yds 6.0	3.0 behind H1
14	199	B 35 yds 6.0	4.0 in front H1
15	217	B 35 yds 6.0	4.0 in front H1
16	235	B 45 yds 6.0	4.0 in front H1
17	244	B 40 yds 5.0	12.0 in front H1
18	253	B 45 yds 0.0	6.25 in front H1
19	271	B 35 yds 6.0	0.75 behind H1
20	283	B 35 yds 0.0	7.75 behind H1
21	299	B 35 yds 7.0	10.50 behind H1
22	307	B 40 yds 0.0	13.75 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 0.0	13.50 in front Back
2	8	B 40 yds 0.0	13.50 in front Back
3	16	B 35 yds 0.0	10.0 behind H2
4	24	B 40 yds 0.0	10.0 behind H2
5	32	B 45 yds 4.0	8.0 behind H2
6	56	A 40 yds 6.0	11.0 in front H2
7	80	B 40 yds 5.0	13.75 in front H2
8	92	B 40 yds 0.0	3.0 in front H2
9	112	B 40 yds 4.0	3.25 behind H2
10	136	B 45 yds 3.0	9.75 in front H2
11	154	A 45 yds 7.0	5.25 behind H1
12	163	A 45 yds 1.0	0.25 in front H1
13	181	A 45 yds 0.0	7.0 in front H2
14	199	B 50 yds 0.0	8.0 behind H1
15	217	B 50 yds 0.0	8.0 behind H1
16	235	A 45 yds 4.0	4.0 behind H1
17	244	A 40 yds 5.0	8.0 behind H1
18	253	A 40 yds 2.0	13.25 behind H1
19	271	A 45 yds 4.0	7.75 in front H2
20	283	B 40 yds 3.0	1.75 in front H2
21	299	B 40 yds 5.0	6.0 in front H2
22	307	B 40 yds 4.0	6.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 7.0	13.75 behind H2
2	8	B 35 yds 7.0	13.75 behind H2
3	16	B 35 yds 0.0	8.0 behind H2
4	24	B 40 yds 0.0	8.0 behind H2
5	32	B 45 yds 1.0	6.25 behind H2
6	56	A 45 yds 1.0	11.0 in front H2
7	80	B 40 yds 2.0	12.75 behind H1
8	92	B 40 yds 0.0	6.0 in front H2
9	112	B 35 yds 7.0	1.75 behind H2
10	136	B 45 yds 2.0	13.75 in front H2
11	154	A 45 yds 6.0	2.25 behind H1
12	163	A 45 yds 4.0	0.25 in front H1
13	181	A 45 yds 2.0	9.0 in front H2
14	199	B 50 yds 0.0	2.0 behind H1
15	217	B 50 yds 0.0	2.0 behind H1
16	235	A 40 yds 6.0	0.0 behind H1
17	244	A 40 yds 2.0	9.0 behind H1
18	253	A 40 yds 0.0	11.50 in front H2
19	271	A 45 yds 2.0	4.50 in front H2
20	283	B 40 yds 5.0	0.25 in front H2
21	299	B 45 yds 1.0	6.0 in front H2
22	307	B 40 yds 6.0	6.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 5.0	12.75 behind H2
2	8	B 35 yds 5.0	12.75 behind H2
3	16	B 35 yds 0.0	6.0 behind H2
4	24	B 40 yds 0.0	6.0 behind H2
5	32	B 40 yds 7.0	4.50 behind H2
6	56	A 45 yds 4.0	11.0 in front H2
7	80	B 40 yds 0.0	10.75 behind H1
8	92	B 40 yds 0.0	9.0 in front H2
9	112	B 35 yds 2.0	0.25 in front H2
10	136	B 45 yds 2.0	10.50 behind H1
11	154	A 45 yds 7.0	0.75 in front H1
12	163	A 45 yds 7.0	0.25 in front H1
13	181	A 45 yds 4.0	11.0 in front H2
14	199	B 50 yds 0.0	4.0 in front H1
15	217	B 50 yds 0.0	4.0 in front H1
16	235	A 40 yds 0.0	4.0 in front H1
17	244	A 35 yds 7.0	10.0 behind H1
18	253	A 35 yds 7.0	8.0 in front H2
19	271	A 45 yds 1.0	1.0 in front H2
20	283	B 40 yds 7.0	1.25 behind H2
21	299	B 45 yds 5.0	6.0 in front H2
22	307	B 45 yds 1.0	6.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 4.0	11.75 behind H2
2	8	B 35 yds 4.0	11.75 behind H2
3	16	B 35 yds 0.0	4.0 behind H2
4	24	B 40 yds 0.0	4.0 behind H2
5	32	B 40 yds 5.0	2.75 behind H2
6	56	A 45 yds 7.0	11.0 in front H2
7	80	B 35 yds 5.0	9.25 behind H1
8	92	B 40 yds 0.0	12.0 in front H2
9	112	B 30 yds 5.0	2.75 in front H2
10	136	B 45 yds 1.0	6.50 behind H1
11	154	B 45 yds 7.0	3.75 in front H1
12	163	B 45 yds 5.0	0.25 in front H1
13	181	A 45 yds 6.0	13.0 in front H2
14	199	B 45 yds 2.0	8.0 behind H1
15	217	B 45 yds 2.0	8.0 behind H1
16	235	B 45 yds 6.0	4.0 behind H1
17	244	A 45 yds 6.0	5.0 behind H1
18	253	A 45 yds 3.0	6.0 behind H1
19	271	B 45 yds 2.0	13.0 behind H1
20	283	B 35 yds 6.0	6.0 in front H2
21	299	B 40 yds 2.0	11.50 in front H2
22	307	B 40 yds 2.0	9.75 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 2.0	10.75 behind H2
2	8	B 35 yds 2.0	10.75 behind H2
3	16	B 35 yds 0.0	2.0 behind H2
4	24	B 40 yds 0.0	2.0 behind H2
5	32	B 40 yds 3.0	1.0 behind H2
6	56	B 45 yds 6.0	11.0 in front H2
7	80	B 35 yds 3.0	7.75 behind H1
8	92	B 40 yds 0.0	13.0 behind H1
9	112	B 30 yds 1.0	6.75 in front H2
10	136	B 45 yds 0.0	2.75 behind H1
11	154	B 45 yds 5.0	6.0 in front H1
12	163	B 45 yds 2.0	0.25 in front H1
13	181	B 45 yds 7.0	13.0 behind H1
14	199	B 45 yds 2.0	2.0 behind H1
15	217	B 45 yds 2.0	2.0 behind H1
16	235	A 45 yds 4.0	0.0 behind H1
17	244	A 45 yds 3.0	6.0 behind H1
18	253	A 45 yds 0.0	7.75 behind H1
19	271	B 45 yds 5.0	13.25 in front H2
20	283	B 40 yds 0.0	4.75 in front H2
21	299	B 40 yds 2.0	9.0 in front H2
22	307	B 40 yds 2.0	8.0 in front H2

Name:ALTO SAX Usr.Lbl:A 3D™Lbl:...37
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 1.0	9.75 behind H2
2	8	B 35 yds 1.0	9.75 behind H2
3	16	B 35 yds 0.0	0.0 in front H2
4	24	B 40 yds 0.0	0.0 in front H2
5	32	B 40 yds 0.0	0.75 in front H2
6	56	B 45 yds 3.0	11.0 in front H2
7	80	B 35 yds 0.0	6.0 behind H1
8	92	B 40 yds 0.0	10.0 behind H1
9	112	B 25 yds 7.0	12.0 in front H2
10	136	B 40 yds 7.0	1.25 in front H1
11	154	B 45 yds 3.0	7.75 in front H1
12	163	B 40 yds 7.0	0.25 in front H1
13	181	B 45 yds 6.0	11.0 behind H1
14	199	B 45 yds 2.0	4.0 in front H1
15	217	B 45 yds 2.0	4.0 in front H1
16	235	A 40 yds 6.0	4.0 in front H1
17	244	A 45 yds 0.0	7.0 behind H1
18	253	A 40 yds 5.0	10.25 behind H1
19	271	A 45 yds 7.0	10.75 in front H2
20	283	B 40 yds 2.0	3.25 in front H2
21	299	B 40 yds 2.0	6.0 in front H2
22	307	B 40 yds 2.0	6.0 in front H2

Name:TENOR SAX Usr.Lbl:E 3D™Lbl:...38
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 7.0	8.75 behind H2
2	8	B 30 yds 7.0	8.75 behind H2
3	16	B 35 yds 0.0	2.0 in front H2
4	24	B 40 yds 0.0	2.0 in front H2
5	32	B 35 yds 6.0	2.50 in front H2
6	56	B 45 yds 0.0	11.0 in front H2
7	80	B 30 yds 6.0	4.25 behind H1
8	92	B 40 yds 0.0	7.0 behind H1
9	112	B 30 yds 0.0	10.75 behind H1
10	136	B 40 yds 6.0	5.25 in front H1
11	154	B 45 yds 0.0	8.50 in front H1
12	163	B 40 yds 4.0	0.25 in front H1
13	181	B 45 yds 4.0	9.0 behind H1
14	199	B 40 yds 4.0	8.0 behind H1
15	217	B 40 yds 4.0	8.0 behind H1
16	235	B 45 yds 0.0	4.0 behind H1
17	244	B 45 yds 0.0	2.0 behind H1
18	253	B 45 yds 1.0	4.0 behind H1
19	271	B 35 yds 7.0	11.0 behind H1
20	283	B 35 yds 1.0	10.50 in front H2
21	299	B 40 yds 2.0	9.0 behind H1
22	307	B 40 yds 2.0	13.50 behind H1

Name:TENOR SAX Usr.Lbl:E 3D™Lbl:...39
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 6.0	7.50 behind H2
2	8	B 30 yds 6.0	7.50 behind H2
3	16	B 35 yds 0.0	4.0 in front H2
4	24	B 40 yds 0.0	4.0 in front H2
5	32	B 35 yds 4.0	4.25 in front H2
6	56	B 40 yds 5.0	11.0 in front H2
7	80	B 30 yds 3.0	2.75 behind H1
8	92	B 40 yds 0.0	4.0 behind H1
9	112	B 30 yds 2.0	5.75 behind H1
10	136	B 40 yds 5.0	9.0 in front H1
11	154	B 40 yds 5.0	8.75 in front H1
12	163	B 40 yds 1.0	0.25 in front H1
13	181	B 45 yds 2.0	7.25 behind H1
14	199	B 40 yds 4.0	2.0 behind H1
15	217	B 40 yds 4.0	2.0 behind H1
16	235	B 45 yds 6.0	0.0 behind H1
17	244	B 45 yds 3.0	3.0 behind H1
18	253	B 45 yds 4.0	4.0 behind H1
19	271	B 40 yds 2.0	11.0 behind H1
20	283	B 35 yds 3.0	9.0 in front H2
21	299	B 40 yds 2.0	11.50 behind H1
22	307	B 40 yds 2.0	13.0 in front H2

Name:ALTO SAX Usr.Lbl:E 3D™Lbl:...40
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 4.0	6.25 behind H2
2	8	B 30 yds 4.0	6.25 behind H2
3	16	B 35 yds 0.0	6.0 in front H2
4	24	B 40 yds 0.0	6.0 in front H2
5	32	B 35 yds 2.0	6.0 in front H2
6	56	B 40 yds 2.0	11.0 in front H2
7	80	B 30 yds 1.0	1.0 behind H1
8	92	B 40 yds 0.0	1.0 behind H1
9	112	B 30 yds 5.0	1.75 behind H1
10	136	B 40 yds 7.0	12.0 in front H1
11	154	B 40 yds 2.0	8.25 in front H1
12	163	B 35 yds 6.0	0.25 in front H1
13	181	B 45 yds 0.0	5.0 behind H1
14	199	B 40 yds 4.0	4.0 in front H1
15	217	B 40 yds 4.0	4.0 in front H1
16	235	A 45 yds 4.0	4.0 in front H1
17	244	B 45 yds 6.0	4.0 behind H1
18	253	A 45 yds 7.0	4.75 behind H1
19	271	B 40 yds 6.0	11.75 behind H1
20	283	B 35 yds 5.0	7.50 in front H2
21	299	B 40 yds 2.0	14.0 in front H2
22	307	B 40 yds 2.0	11.50 in front H2

Name:CLARINET Usr.Lbl:C 3D™Lbl:...41
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 3.0	5.0 behind H2
2	8	B 30 yds 3.0	5.0 behind H2
3	16	B 35 yds 0.0	8.0 in front H2
4	24	B 40 yds 0.0	8.0 in front H2
5	32	B 40 yds 4.0	8.0 behind H1
6	56	B 45 yds 0.0	9.0 behind Front
7	80	B 40 yds 2.0	13.50 in front H1
8	92	B 45 yds 6.0	13.50 in front H1
9	112	A 35 yds 0.0	11.0 behind Front
10	136	A 30 yds 4.0	8.0 behind Front
11	154	A 35 yds 3.0	10.50 behind Front
12	163	A 40 yds 0.0	13.50 behind Front
13	181	A 40 yds 2.0	12.0 in front H1
14	199	B 45 yds 4.0	12.0 in front H1
15	217	A 40 yds 2.0	12.0 in front H1
16	235	A 30 yds 2.0	12.0 in front H1
17	244	A 35 yds 5.0	14.0 in front H1
18	253	A 40 yds 3.0	9.0 behind Front
19	271	A 45 yds 5.0	12.0 in front H1
20	283	B 45 yds 0.0	3.0 in front H1
21	299	B 45 yds 0.0	4.0 behind H1
22	307	B 40 yds 6.0	10.0 behind H1

Name:CLARINET Usr.Lbl:C 3D™Lbl:...42
File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 1.0	3.75 behind H2
2	8	B 30 yds 1.0	3.75 behind H2
3	16	B 30 yds 6.0	8.0 in front H2
4	24	B 35 yds 6.0	8.0 in front H2
5	32	B 40 yds 2.0	10.0 behind H1
6	56	B 45 yds 0.0	12.0 behind Front
7	80	B 40 yds 5.0	13.75 behind Front
8	92	A 45 yds 6.0	13.75 behind Front
9	112	A 35 yds 0.0	14.0 in front H1
10	136	A 30 yds 3.0	9.75 behind Front
11	154	A 35 yds 1.0	8.50 behind Front
12	163	A 35 yds 6.0	11.50 behind Front
13	181	A 35 yds 7.0	12.0 in front H1
14	199	B 45 yds 7.0	12.0 in front H1
15	217	A 35 yds 7.0	12.0 in front H1
16	235	A 25 yds 7.0	12.0 in front H1
17	244	A 35 yds 3.0	11.75 behind Front
18	253	A 40 yds 0.0	9.50 behind Front
19	271	A 45 yds 2.0	11.75 in front H1
20	283	B 45 yds 2.0	3.0 in front H1
21	299	B 45 yds 2.0	1.0 behind H1
22	307	B 40 yds 7.0	8.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	2.25 behind H2
2	8	B 30 yds 0.0	2.25 behind H2
3	16	B 30 yds 4.0	8.0 in front H2
4	24	B 35 yds 4.0	8.0 in front H2
5	32	B 35 yds 7.0	12.25 behind H1
6	56	B 45 yds 0.0	13.0 in front H1
7	80	B 45 yds 0.0	12.75 behind Front
8	92	A 45 yds 3.0	12.75 behind Front
9	112	A 35 yds 0.0	11.0 in front H1
10	136	A 30 yds 3.0	11.75 behind Front
11	154	A 30 yds 6.0	6.75 behind Front
12	163	A 35 yds 4.0	9.50 behind Front
13	181	A 35 yds 4.0	12.0 in front H1
14	199	A 45 yds 6.0	12.0 in front H1
15	217	A 35 yds 4.0	12.0 in front H1
16	235	A 25 yds 4.0	12.0 in front H1
17	244	A 35 yds 0.0	10.25 behind Front
18	253	A 35 yds 6.0	9.75 behind Front
19	271	A 45 yds 0.0	11.25 in front H1
20	283	B 45 yds 5.0	3.0 in front H1
21	299	B 45 yds 4.0	4.0 behind H1
22	307	B 45 yds 0.0	10.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 7.0	0.75 behind H2
2	8	B 25 yds 7.0	0.75 behind H2
3	16	B 30 yds 2.0	8.0 in front H2
4	24	B 35 yds 2.0	8.0 in front H2
5	32	B 35 yds 5.0	13.75 in front H2
6	56	B 45 yds 0.0	10.0 in front H1
7	80	B 45 yds 3.0	12.50 behind Front
8	92	A 45 yds 0.0	12.50 behind Front
9	112	A 35 yds 0.0	8.0 in front H1
10	136	A 30 yds 2.0	13.75 behind Front
11	154	A 30 yds 4.0	5.25 behind Front
12	163	A 35 yds 1.0	7.50 behind Front
13	181	A 35 yds 1.0	12.0 in front H1
14	199	A 45 yds 3.0	12.0 in front H1
15	217	A 35 yds 1.0	12.0 in front H1
16	235	A 25 yds 1.0	12.0 in front H1
17	244	A 30 yds 5.0	9.25 behind Front
18	253	A 35 yds 3.0	10.75 behind Front
19	271	A 40 yds 5.0	10.50 in front H1
20	283	A 45 yds 7.0	3.0 in front H1
21	299	B 45 yds 6.0	1.0 behind H1
22	307	B 45 yds 2.0	8.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 6.0	0.75 in front H2
2	8	B 25 yds 6.0	0.75 in front H2
3	16	B 30 yds 0.0	8.0 in front H2
4	24	B 35 yds 0.0	8.0 in front H2
5	32	B 35 yds 3.0	11.75 in front H2
6	56	B 45 yds 0.0	7.0 in front H1
7	80	B 45 yds 6.0	12.25 behind Front
8	92	A 40 yds 5.0	12.25 behind Front
9	112	A 35 yds 0.0	5.0 in front H1
10	136	A 30 yds 2.0	12.25 in front H1
11	154	A 30 yds 1.0	4.25 behind Front
12	163	A 30 yds 7.0	5.75 behind Front
13	181	A 30 yds 6.0	12.0 in front H1
14	199	A 45 yds 0.0	12.0 in front H1
15	217	A 30 yds 6.0	12.0 in front H1
16	235	A 20 yds 6.0	12.0 in front H1
17	244	A 30 yds 2.0	8.75 behind Front
18	253	A 35 yds 1.0	11.75 behind Front
19	271	A 40 yds 3.0	9.25 in front H1
20	283	A 45 yds 5.0	3.0 in front H1
21	299	B 45 yds 7.0	4.0 behind H1
22	307	B 45 yds 2.0	10.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 5.0	2.25 in front H2
2	8	B 25 yds 5.0	2.25 in front H2
3	16	B 25 yds 6.0	8.0 in front H2
4	24	B 30 yds 6.0	8.0 in front H2
5	32	B 35 yds 1.0	9.75 in front H2
6	56	B 45 yds 0.0	4.0 in front H1
7	80	A 45 yds 6.0	12.75 behind Front
8	92	A 40 yds 2.0	12.75 behind Front
9	112	A 35 yds 0.0	2.0 in front H1
10	136	A 30 yds 1.0	10.25 in front H1
11	154	A 25 yds 6.0	4.0 behind Front
12	163	A 30 yds 4.0	5.25 behind Front
13	181	A 30 yds 3.0	12.0 in front H1
14	199	A 40 yds 5.0	12.0 in front H1
15	217	A 30 yds 3.0	12.0 in front H1
16	235	A 20 yds 3.0	12.0 in front H1
17	244	A 25 yds 7.0	9.0 behind Front
18	253	A 30 yds 7.0	13.25 behind Front
19	271	A 40 yds 1.0	7.75 in front H1
20	283	A 45 yds 2.0	3.0 in front H1
21	299	A 45 yds 5.0	1.0 behind H1
22	307	B 45 yds 5.0	8.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 4.0	3.75 in front H2
2	8	B 25 yds 4.0	3.75 in front H2
3	16	B 25 yds 4.0	8.0 in front H2
4	24	B 30 yds 4.0	8.0 in front H2
5	32	B 30 yds 7.0	7.75 in front H2
6	56	B 45 yds 0.0	1.0 in front H1
7	80	A 45 yds 4.0	13.50 behind Front
8	92	A 40 yds 0.0	13.50 behind Front
9	112	A 35 yds 0.0	1.0 behind H1
10	136	A 30 yds 1.0	8.50 in front H1
11	154	A 25 yds 3.0	4.75 behind Front
12	163	A 30 yds 1.0	5.75 behind Front
13	181	A 30 yds 0.0	12.0 in front H1
14	199	A 40 yds 2.0	12.0 in front H1
15	217	A 30 yds 0.0	12.0 in front H1
16	235	A 20 yds 5.0	10.0 in front H1
17	244	A 25 yds 5.0	10.0 behind Front
18	253	A 30 yds 5.0	13.25 in front H1
19	271	A 35 yds 7.0	6.25 in front H1
20	283	A 40 yds 7.0	3.0 in front H1
21	299	A 45 yds 5.0	4.0 behind H1
22	307	B 45 yds 4.0	10.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 3.0	5.25 in front H2
2	8	B 25 yds 3.0	5.25 in front H2
3	16	B 25 yds 2.0	8.0 in front H2
4	24	B 30 yds 2.0	8.0 in front H2
5	32	B 30 yds 5.0	5.75 in front H2
6	56	B 45 yds 0.0	2.0 behind H1
7	80	A 45 yds 1.0	13.75 in front H1
8	92	A 35 yds 5.0	13.75 in front H1
9	112	A 35 yds 0.0	4.0 behind H1
10	136	A 30 yds 0.0	6.50 in front H1
11	154	A 25 yds 0.0	6.0 behind Front
12	163	A 25 yds 6.0	6.75 behind Front
13	181	A 30 yds 0.0	9.0 in front H1
14	199	A 35 yds 7.0	12.0 in front H1
15	217	A 30 yds 0.0	9.0 in front H1
16	235	A 20 yds 6.0	7.75 in front H1
17	244	A 25 yds 2.0	11.50 behind Front
18	253	A 30 yds 3.0	11.25 in front H1
19	271	A 35 yds 5.0	4.25 in front H1
20	283	A 40 yds 5.0	3.0 in front H1
21	299	A 45 yds 1.0	1.0 behind H1
22	307	B 50 yds 0.0	8.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 1.0	6.75 in front H2
2	8	B 25 yds 1.0	6.75 in front H2
3	16	B 25 yds 0.0	8.0 in front H2
4	24	B 30 yds 0.0	8.0 in front H2
5	32	B 30 yds 3.0	3.75 in front H2
6	56	B 45 yds 0.0	5.0 behind H1
7	80	A 40 yds 6.0	12.25 in front H1
8	92	A 35 yds 2.0	12.25 in front H1
9	112	A 35 yds 0.0	7.0 behind H1
10	136	A 30 yds 0.0	4.50 in front H1
11	154	A 20 yds 6.0	8.0 behind Front
12	163	A 25 yds 4.0	8.75 behind Front
13	181	A 30 yds 0.0	6.0 in front H1
14	199	A 35 yds 4.0	12.0 in front H1
15	217	A 30 yds 0.0	6.0 in front H1
16	235	A 25 yds 0.0	5.75 in front H1
17	244	A 25 yds 0.0	13.50 behind Front
18	253	A 30 yds 2.0	9.25 in front H1
19	271	A 35 yds 4.0	2.25 in front H1
20	283	A 40 yds 5.0	0.25 in front H1
21	299	A 45 yds 4.0	5.75 behind H1
22	307	B 45 yds 6.0	11.25 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 1.0	8.25 in front H2
2	8	B 25 yds 1.0	8.25 in front H2
3	16	B 20 yds 6.0	8.0 in front H2
4	24	B 25 yds 6.0	8.0 in front H2
5	32	B 30 yds 1.0	1.75 in front H2
6	56	B 45 yds 0.0	8.0 behind H1
7	80	A 40 yds 4.0	10.50 in front H1
8	92	A 35 yds 0.0	10.50 in front H1
9	112	A 35 yds 0.0	10.0 behind H1
10	136	A 30 yds 0.0	2.50 in front H1
11	154	A 20 yds 5.0	10.75 behind Front
12	163	A 25 yds 2.0	11.25 behind Front
13	181	A 30 yds 0.0	3.0 in front H1
14	199	A 35 yds 1.0	12.0 in front H1
15	217	A 30 yds 0.0	3.0 in front H1
16	235	A 25 yds 2.0	3.75 in front H1
17	244	A 20 yds 6.0	12.25 in front H1
18	253	A 30 yds 1.0	6.75 in front H1
19	271	A 35 yds 3.0	0.25 behind H1
20	283	A 40 yds 5.0	2.50 behind H1
21	299	A 45 yds 1.0	5.25 behind H1
22	307	B 50 yds 0.0	10.75 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 0.0	10.0 in front H2
2	8	B 25 yds 0.0	10.0 in front H2
3	16	B 20 yds 4.0	8.0 in front H2
4	24	B 25 yds 4.0	8.0 in front H2
5	32	B 25 yds 7.0	0.25 behind H2
6	56	B 45 yds 0.0	11.0 behind H1
7	80	A 40 yds 2.0	8.25 in front H1
8	92	A 30 yds 6.0	8.25 in front H1
9	112	A 35 yds 0.0	13.0 behind H1
10	136	A 25 yds 7.0	0.75 in front H1
11	154	A 20 yds 5.0	13.75 behind Front
12	163	A 25 yds 2.0	14.0 in front H1
13	181	A 30 yds 0.0	0.0 behind H1
14	199	A 30 yds 6.0	12.0 in front H1
15	217	A 30 yds 0.0	0.0 behind H1
16	235	A 25 yds 4.0	1.75 in front H1
17	244	A 20 yds 5.0	9.25 in front H1
18	253	A 30 yds 0.0	4.50 in front H1
19	271	A 35 yds 2.0	2.50 behind H1
20	283	A 40 yds 5.0	5.25 behind H1
21	299	A 45 yds 4.0	8.75 behind H1
22	307	B 45 yds 6.0	13.25 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 7.0	11.75 in front H2
2	8	B 20 yds 7.0	11.75 in front H2
3	16	B 20 yds 2.0	8.0 in front H2
4	24	B 25 yds 2.0	8.0 in front H2
5	32	B 25 yds 5.0	2.25 behind H2
6	56	B 45 yds 0.0	14.0 in front H2
7	80	A 40 yds 0.0	6.0 in front H1
8	92	A 30 yds 4.0	6.0 in front H1
9	112	A 35 yds 0.0	12.0 in front H2
10	136	A 25 yds 7.0	1.50 behind H1
11	154	A 20 yds 5.0	11.25 in front H1
12	163	A 25 yds 3.0	11.25 in front H1
13	181	A 30 yds 0.0	3.0 behind H1
14	199	A 30 yds 3.0	12.0 in front H1
15	217	A 30 yds 0.0	3.0 behind H1
16	235	A 25 yds 6.0	0.50 behind H1
17	244	A 20 yds 5.0	6.25 in front H1
18	253	A 25 yds 7.0	2.0 in front H1
19	271	A 35 yds 1.0	5.0 behind H1
20	283	A 40 yds 5.0	7.75 behind H1
21	299	A 45 yds 1.0	9.25 behind H1
22	307	B 50 yds 0.0	13.50 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 6.0	13.50 in front H2
2	8	B 20 yds 6.0	14.0 in front H2
3	16	B 30 yds 0.0	10.0 in front H2
4	24	B 25 yds 0.0	10.0 in front H2
5	32	B 30 yds 6.0	9.75 in front H2
6	56	B 35 yds 7.0	11.0 in front H2
7	80	A 45 yds 4.0	0.0 behind H1
8	92	A 40 yds 1.0	11.75 in front H1
9	112	A 35 yds 2.0	8.75 behind Front
10	136	A 30 yds 5.0	8.50 behind Front
11	154	A 35 yds 5.0	12.50 behind Front
12	163	A 40 yds 3.0	13.25 in front H1
13	181	A 40 yds 5.0	12.0 in front H1
14	199	B 45 yds 1.0	12.0 in front H1
15	217	A 40 yds 5.0	12.0 in front H1
16	235	A 30 yds 5.0	12.0 in front H1
17	244	A 25 yds 5.0	0.0 behind H1
18	253	A 30 yds 2.0	3.0 behind H1
19	271	A 35 yds 4.0	10.0 behind H1
20	283	A 40 yds 6.0	13.25 behind H1
21	299	A 45 yds 7.0	6.0 in front H2
22	307	B 45 yds 4.0	6.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 5.0	13.0 behind H1
2	8	B 20 yds 7.0	12.50 behind H1
3	16	B 30 yds 0.0	12.0 in front H2
4	24	B 25 yds 0.0	12.0 in front H2
5	32	B 30 yds 4.0	11.75 in front H2
6	56	B 35 yds 4.0	11.0 in front H2
7	80	B 50 yds 0.0	0.0 behind H1
8	92	A 40 yds 6.0	8.75 in front H1
9	112	A 35 yds 6.0	12.75 behind Front
10	136	A 35 yds 1.0	9.50 behind Front
11	154	A 40 yds 2.0	12.75 in front H1
12	163	A 45 yds 0.0	11.75 in front H1
13	181	A 45 yds 3.0	12.0 in front H1
14	199	B 40 yds 3.0	12.0 in front H1
15	217	A 45 yds 3.0	12.0 in front H1
16	235	A 35 yds 3.0	12.0 in front H1
17	244	A 30 yds 1.0	3.50 in front H1
18	253	A 35 yds 3.0	1.75 behind H1
19	271	A 40 yds 5.0	8.75 behind H1
20	283	A 45 yds 2.0	9.25 behind H1
21	299	A 45 yds 7.0	14.0 in front H2
22	307	B 45 yds 4.0	11.50 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 5.0	11.25 behind H1
2	8	B 25 yds 1.0	10.75 behind H1
3	16	B 30 yds 0.0	14.0 in front H2
4	24	B 25 yds 0.0	14.0 in front H2
5	32	B 30 yds 2.0	13.75 in front H2
6	56	B 35 yds 1.0	11.0 in front H2
7	80	B 45 yds 4.0	0.0 behind H1
8	92	A 45 yds 4.0	6.25 in front H1
9	112	A 40 yds 3.0	11.50 in front H1
10	136	A 35 yds 5.0	10.25 behind Front
11	154	A 45 yds 0.0	11.25 in front H1
12	163	A 45 yds 6.0	11.25 in front H1
13	181	B 45 yds 7.0	12.0 in front H1
14	199	B 35 yds 5.0	12.0 in front H1
15	217	B 45 yds 7.0	12.0 in front H1
16	235	A 40 yds 1.0	12.0 in front H1
17	244	A 30 yds 6.0	6.75 in front H1
18	253	A 40 yds 3.0	3.25 in front H1
19	271	A 45 yds 5.0	3.75 behind H1
20	283	A 45 yds 7.0	5.0 behind H1
21	299	B 50 yds 0.0	7.0 behind H1
22	307	B 45 yds 3.0	12.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	9.50 behind H1
2	8	B 25 yds 2.0	9.25 behind H1
3	16	B 30 yds 0.0	12.0 behind H1
4	24	B 25 yds 0.0	12.0 behind H1
5	32	B 30 yds 0.0	12.0 behind H1
6	56	B 30 yds 6.0	11.0 in front H2
7	80	B 45 yds 0.0	0.0 behind H1
8	92	B 45 yds 6.0	4.25 in front H1
9	112	A 45 yds 0.0	8.25 in front H1
10	136	A 40 yds 1.0	11.0 behind Front
11	154	A 45 yds 6.0	11.25 in front H1
12	163	B 45 yds 3.0	11.25 in front H1
13	181	B 45 yds 1.0	12.0 in front H1
14	199	B 30 yds 7.0	12.0 in front H1
15	217	B 45 yds 1.0	12.0 in front H1
16	235	A 40 yds 7.0	12.0 in front H1
17	244	A 35 yds 2.0	10.25 in front H1
18	253	A 45 yds 0.0	11.50 in front H1
19	271	B 45 yds 5.0	4.50 in front H1
20	283	B 45 yds 4.0	0.75 behind H1
21	299	B 40 yds 6.0	7.0 behind H1
22	307	B 40 yds 5.0	12.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	7.75 behind H1
2	8	B 25 yds 4.0	7.75 behind H1
3	16	B 30 yds 0.0	10.0 behind H1
4	24	B 25 yds 0.0	10.0 behind H1
5	32	B 25 yds 6.0	10.0 behind H1
6	56	B 30 yds 3.0	11.0 in front H2
7	80	B 40 yds 4.0	0.0 behind H1
8	92	B 45 yds 0.0	3.0 in front H1
9	112	A 45 yds 5.0	5.25 in front H1
10	136	A 40 yds 5.0	11.75 behind Front
11	154	B 45 yds 3.0	11.75 in front H1
12	163	B 40 yds 5.0	11.75 in front H1
13	181	B 40 yds 3.0	12.0 in front H1
14	199	B 30 yds 1.0	12.0 in front H1
15	217	B 40 yds 3.0	12.0 in front H1
16	235	A 45 yds 5.0	12.0 in front H1
17	244	A 40 yds 0.0	12.0 in front H1
18	253	A 40 yds 6.0	9.0 behind Front
19	271	B 50 yds 0.0	12.0 in front H1
20	283	B 40 yds 5.0	3.0 in front H1
21	299	B 40 yds 6.0	1.0 behind H1
22	307	B 40 yds 4.0	8.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 3.0	5.75 behind H1
2	8	B 25 yds 5.0	6.25 behind H1
3	16	B 30 yds 0.0	8.0 behind H1
4	24	B 25 yds 0.0	8.0 behind H1
5	32	B 25 yds 4.0	8.25 behind H1
6	56	B 30 yds 0.0	11.0 in front H2
7	80	B 40 yds 0.0	0.0 behind H1
8	92	B 40 yds 2.0	2.25 in front H1
9	112	B 45 yds 4.0	3.25 in front H1
10	136	A 45 yds 1.0	12.75 behind Front
11	154	B 40 yds 5.0	13.50 in front H1
12	163	B 35 yds 7.0	13.50 in front H1
13	181	B 35 yds 5.0	12.0 in front H1
14	199	B 25 yds 3.0	12.0 in front H1
15	217	B 35 yds 5.0	12.0 in front H1
16	235	B 45 yds 5.0	12.0 in front H1
17	244	A 40 yds 6.0	12.0 in front H1
18	253	A 45 yds 2.0	10.0 behind Front
19	271	B 45 yds 3.0	11.0 in front H1
20	283	B 40 yds 0.0	3.0 in front H1
21	299	B 40 yds 2.0	1.0 behind H1
22	307	B 40 yds 2.0	8.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 3.0	4.25 behind H1
2	8	B 25 yds 7.0	4.75 behind H1
3	16	B 30 yds 0.0	6.0 behind H1
4	24	B 25 yds 0.0	6.0 behind H1
5	32	B 25 yds 2.0	6.0 behind H1
6	56	B 25 yds 5.0	11.0 in front H2
7	80	B 35 yds 4.0	0.0 behind H1
8	92	B 35 yds 4.0	2.25 in front H1
9	112	B 40 yds 6.0	1.75 in front H1
10	136	A 45 yds 5.0	13.50 behind Front
11	154	B 40 yds 0.0	12.25 behind Front
12	163	B 35 yds 2.0	12.25 behind Front
13	181	B 30 yds 7.0	12.0 in front H1
14	199	B 20 yds 5.0	12.0 in front H1
15	217	B 30 yds 7.0	12.0 in front H1
16	235	B 40 yds 7.0	12.0 in front H1
17	244	A 45 yds 4.0	12.0 in front H1
18	253	A 45 yds 7.0	12.25 behind Front
19	271	B 40 yds 6.0	8.75 in front H1
20	283	B 35 yds 2.0	3.0 in front H1
21	299	B 35 yds 6.0	1.0 behind H1
22	307	B 35 yds 7.0	8.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	2.25 behind H1
2	8	B 30 yds 0.0	3.25 behind H1
3	16	B 30 yds 0.0	4.0 behind H1
4	24	B 25 yds 0.0	4.0 behind H1
5	32	B 25 yds 0.0	4.0 behind H1
6	56	B 25 yds 2.0	11.0 in front H2
7	80	B 35 yds 0.0	0.0 behind H1
8	92	B 30 yds 6.0	2.75 in front H1
9	112	B 40 yds 1.0	0.50 in front H1
10	136	B 45 yds 6.0	13.75 in front H1
11	154	B 35 yds 3.0	9.25 behind Front
12	163	B 30 yds 5.0	9.25 behind Front
13	181	B 30 yds 7.0	10.0 behind Front
14	199	B 20 yds 5.0	10.0 behind Front
15	217	B 30 yds 7.0	10.0 behind Front
16	235	B 40 yds 1.0	12.0 in front H1
17	244	B 45 yds 6.0	12.0 in front H1
18	253	B 45 yds 4.0	12.75 in front H1
19	271	B 40 yds 2.0	5.75 in front H1
20	283	B 35 yds 0.0	0.25 in front H1
21	299	B 35 yds 4.0	3.25 behind H1
22	307	B 35 yds 6.0	9.50 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	0.50 behind H1
2	8	B 30 yds 2.0	1.75 behind H1
3	16	B 30 yds 0.0	2.0 behind H1
4	24	B 25 yds 0.0	2.0 behind H1
5	32	B 20 yds 5.0	2.0 behind H1
6	56	B 20 yds 7.0	11.0 in front H2
7	80	B 30 yds 6.0	0.0 behind H1
8	92	B 30 yds 3.0	3.50 in front H1
9	112	B 35 yds 6.0	0.25 in front H1
10	136	B 45 yds 4.0	13.25 in front H1
11	154	B 35 yds 1.0	6.75 behind Front
12	163	B 30 yds 3.0	6.75 behind Front
13	181	B 30 yds 7.0	7.0 behind Front
14	199	B 20 yds 5.0	7.0 behind Front
15	217	B 30 yds 7.0	7.0 behind Front
16	235	B 35 yds 6.0	12.0 in front H1
17	244	B 45 yds 3.0	12.0 in front H1
18	253	B 45 yds 2.0	10.75 in front H1
19	271	B 40 yds 0.0	3.75 in front H1
20	283	B 35 yds 0.0	2.50 behind H1
21	299	B 35 yds 7.0	7.25 behind H1
22	307	B 40 yds 0.0	12.25 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	1.50 in front H1
2	8	B 30 yds 4.0	0.0 behind H1
3	16	B 30 yds 0.0	0.0 behind H1
4	24	B 25 yds 0.0	0.0 behind H1
5	32	B 20 yds 3.0	0.25 in front H1
6	56	B 20 yds 4.0	11.0 in front H2
7	80	B 30 yds 4.0	0.0 behind H1
8	92	B 30 yds 0.0	4.0 in front H1
9	112	B 35 yds 3.0	0.0 behind H1
10	136	B 45 yds 3.0	12.75 in front H1
11	154	B 35 yds 0.0	4.0 behind Front
12	163	B 30 yds 2.0	4.0 behind Front
13	181	B 30 yds 7.0	4.0 behind Front
14	199	B 20 yds 5.0	4.0 behind Front
15	217	B 30 yds 7.0	4.0 behind Front
16	235	B 35 yds 3.0	12.0 in front H1
17	244	B 45 yds 0.0	12.0 in front H1
18	253	B 45 yds 1.0	8.50 in front H1
19	271	B 35 yds 7.0	1.50 in front H1
20	283	B 35 yds 0.0	5.25 behind H1
21	299	B 35 yds 4.0	7.25 behind H1
22	307	B 35 yds 6.0	12.25 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	3.25 in front H1
2	8	B 30 yds 2.0	1.0 in front H1
3	16	B 35 yds 4.0	2.0 in front H1
4	24	B 30 yds 4.0	2.0 in front H1
5	32	B 35 yds 3.0	5.25 behind H1
6	56	B 40 yds 5.0	9.0 behind Front
7	80	A 45 yds 6.0	0.0 behind H1
8	92	A 40 yds 4.0	10.25 in front H1
9	112	A 35 yds 4.0	10.75 behind Front
10	136	A 30 yds 7.0	8.75 behind Front
11	154	A 40 yds 0.0	13.75 in front H1
12	163	A 40 yds 5.0	12.25 in front H1
13	181	A 45 yds 0.0	12.0 in front H1
14	199	B 40 yds 6.0	12.0 in front H1
15	217	A 45 yds 0.0	12.0 in front H1
16	235	A 35 yds 0.0	12.0 in front H1
17	244	A 25 yds 7.0	1.75 in front H1
18	253	A 30 yds 6.0	3.0 behind H1
19	271	A 40 yds 0.0	10.0 behind H1
20	283	A 45 yds 0.0	11.25 behind H1
21	299	A 45 yds 7.0	10.0 in front H2
22	307	B 45 yds 4.0	8.75 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	5.25 in front H1
2	8	B 30 yds 0.0	1.75 in front H1
3	16	B 35 yds 2.0	2.0 in front H1
4	24	B 30 yds 2.0	2.0 in front H1
5	32	B 35 yds 0.0	4.25 behind H1
6	56	B 40 yds 2.0	9.0 behind Front
7	80	B 45 yds 6.0	0.0 behind H1
8	92	A 45 yds 1.0	7.50 in front H1
9	112	A 40 yds 1.0	13.25 in front H1
10	136	A 35 yds 3.0	9.75 behind Front
11	154	A 40 yds 5.0	11.75 in front H1
12	163	A 45 yds 3.0	11.50 in front H1
13	181	A 45 yds 6.0	12.0 in front H1
14	199	B 40 yds 0.0	12.0 in front H1
15	217	A 45 yds 6.0	12.0 in front H1
16	235	A 35 yds 6.0	12.0 in front H1
17	244	A 30 yds 3.0	5.25 in front H1
18	253	A 35 yds 7.0	0.25 in front H1
19	271	A 45 yds 1.0	6.75 behind H1
20	283	A 45 yds 5.0	7.0 behind H1
21	299	A 45 yds 7.0	10.0 behind H1
22	307	B 45 yds 4.0	14.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	7.0 in front H1
2	8	B 25 yds 6.0	2.75 in front H1
3	16	B 35 yds 0.0	2.0 in front H1
4	24	B 30 yds 0.0	2.0 in front H1
5	32	B 30 yds 5.0	3.50 behind H1
6	56	B 35 yds 7.0	9.0 behind Front
7	80	B 45 yds 2.0	0.0 behind H1
8	92	A 45 yds 6.0	5.25 in front H1
9	112	A 40 yds 6.0	9.75 in front H1
10	136	A 35 yds 7.0	10.75 behind Front
11	154	A 45 yds 3.0	11.25 in front H1
12	163	B 45 yds 6.0	11.25 in front H1
13	181	B 45 yds 4.0	12.0 in front H1
14	199	B 35 yds 2.0	12.0 in front H1
15	217	B 45 yds 4.0	12.0 in front H1
16	235	A 40 yds 4.0	12.0 in front H1
17	244	A 35 yds 0.0	8.50 in front H1
18	253	A 40 yds 6.0	7.0 in front H1
19	271	B 45 yds 7.0	0.0 behind H1
20	283	B 45 yds 6.0	2.75 behind H1
21	299	B 45 yds 3.0	7.0 behind H1
22	307	B 45 yds 0.0	12.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	8.75 in front H1
2	8	B 25 yds 4.0	3.75 in front H1
3	16	B 30 yds 6.0	2.0 in front H1
4	24	B 25 yds 6.0	2.0 in front H1
5	32	B 30 yds 1.0	2.50 behind H1
6	56	B 35 yds 4.0	9.0 behind Front
7	80	B 40 yds 6.0	0.0 behind H1
8	92	B 45 yds 3.0	3.50 in front H1
9	112	A 45 yds 3.0	6.75 in front H1
10	136	A 40 yds 3.0	11.50 behind Front
11	154	B 45 yds 6.0	11.50 in front H1
12	163	B 45 yds 0.0	11.50 in front H1
13	181	B 40 yds 6.0	12.0 in front H1
14	199	B 30 yds 4.0	12.0 in front H1
15	217	B 40 yds 6.0	12.0 in front H1
16	235	A 45 yds 2.0	12.0 in front H1
17	244	A 35 yds 5.0	12.0 in front H1
18	253	A 45 yds 2.0	12.0 behind Front
19	271	B 45 yds 4.0	9.0 in front H1
20	283	B 45 yds 2.0	1.25 in front H1
21	299	B 40 yds 2.0	7.0 behind H1
22	307	B 40 yds 2.0	12.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	10.75 in front H1
2	8	B 25 yds 2.0	4.50 in front H1
3	16	B 30 yds 4.0	2.0 in front H1
4	24	B 25 yds 4.0	2.0 in front H1
5	32	B 25 yds 6.0	1.75 behind H1
6	56	B 35 yds 1.0	9.0 behind Front
7	80	B 40 yds 2.0	0.0 behind H1
8	92	B 40 yds 5.0	2.50 in front H1
9	112	B 45 yds 7.0	4.25 in front H1
10	136	A 40 yds 7.0	12.25 behind Front
11	154	B 45 yds 0.0	12.50 in front H1
12	163	B 40 yds 2.0	12.50 in front H1
13	181	B 40 yds 0.0	12.0 in front H1
14	199	B 25 yds 6.0	12.0 in front H1
15	217	B 40 yds 0.0	12.0 in front H1
16	235	B 50 yds 0.0	12.0 in front H1
17	244	A 40 yds 3.0	12.0 in front H1
18	253	A 45 yds 0.0	9.25 behind Front
19	271	B 45 yds 5.0	11.75 in front H1
20	283	B 40 yds 2.0	3.0 in front H1
21	299	B 40 yds 5.0	4.0 behind H1
22	307	B 40 yds 4.0	10.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	12.50 in front H1
2	8	B 25 yds 0.0	5.50 in front H1
3	16	B 30 yds 2.0	2.0 in front H1
4	24	B 25 yds 2.0	2.0 in front H1
5	32	B 25 yds 3.0	0.75 behind H1
6	56	B 30 yds 6.0	9.0 behind Front
7	80	B 35 yds 6.0	0.0 behind H1
8	92	B 35 yds 7.0	2.25 in front H1
9	112	B 45 yds 1.0	2.50 in front H1
10	136	A 45 yds 3.0	13.25 behind Front
11	154	B 40 yds 2.0	13.50 behind Front
12	163	B 35 yds 4.0	13.50 behind Front
13	181	B 35 yds 2.0	12.0 in front H1
14	199	B 25 yds 0.0	12.0 in front H1
15	217	B 35 yds 2.0	12.0 in front H1
16	235	B 45 yds 2.0	12.0 in front H1
17	244	A 45 yds 1.0	12.0 in front H1
18	253	A 45 yds 5.0	10.75 behind Front
19	271	B 45 yds 0.0	10.25 in front H1
20	283	B 35 yds 5.0	3.0 in front H1
21	299	B 40 yds 2.0	4.0 behind H1
22	307	B 40 yds 2.0	10.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 2.0	13.75 behind Front
2	8	B 20 yds 6.0	6.25 in front H1
3	16	B 30 yds 0.0	2.0 in front H1
4	24	B 25 yds 0.0	2.0 in front H1
5	32	B 25 yds 0.0	0.0 behind H1
6	56	B 30 yds 3.0	9.0 behind Front
7	80	B 35 yds 2.0	0.0 behind H1
8	92	B 35 yds 1.0	2.50 in front H1
9	112	B 40 yds 4.0	1.0 in front H1
10	136	A 45 yds 7.0	13.75 behind Front
11	154	B 35 yds 5.0	10.75 behind Front
12	163	B 30 yds 7.0	10.75 behind Front
13	181	B 30 yds 7.0	13.0 behind Front
14	199	B 20 yds 5.0	13.0 behind Front
15	217	B 30 yds 7.0	13.0 behind Front
16	235	B 40 yds 4.0	12.0 in front H1
17	244	A 45 yds 7.0	12.0 in front H1
18	253	B 45 yds 6.0	13.75 behind Front
19	271	B 40 yds 4.0	7.50 in front H1
20	283	B 35 yds 0.0	3.0 in front H1
21	299	B 35 yds 7.0	4.0 behind H1
22	307	B 40 yds 0.0	10.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 6.0	8.0 in front H1
2	8	B 35 yds 6.0	8.0 in front H1
3	16	B 35 yds 6.0	8.0 in front H1
4	24	B 40 yds 5.0	8.0 in front H1
5	32	A 45 yds 0.0	8.0 in front H1
6	56	A 30 yds 0.0	0.0 behind H1
7	80	A 45 yds 4.0	5.50 behind H1
8	92	A 40 yds 4.0	0.0 behind H1
9	112	A 45 yds 0.0	8.0 in front H2
10	136	A 35 yds 0.0	6.25 in front H2
11	154	A 40 yds 6.0	9.75 in front H2
12	163	A 40 yds 0.0	12.75 in front H2
13	181	A 30 yds 4.0	7.0 in front H2
14	199	A 40 yds 0.0	12.0 in front H2
15	217	A 25 yds 6.0	12.0 in front H2
16	235	A 35 yds 4.0	4.0 in front H2
17	244	A 30 yds 4.0	0.0 in front H2
18	253	A 25 yds 4.0	4.0 behind H2
19	271	A 25 yds 4.0	4.50 in front H2
20	283	A 30 yds 0.0	4.0 behind H2
21	299	A 30 yds 6.0	2.0 in front H2
22	307	A 35 yds 5.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 3.0	8.0 in front H1
2	8	B 35 yds 3.0	8.0 in front H1
3	16	B 35 yds 3.0	8.0 in front H1
4	24	B 40 yds 1.0	8.0 in front H1
5	32	A 45 yds 4.0	8.0 in front H1
6	56	A 30 yds 4.0	0.0 behind H1
7	80	A 45 yds 6.0	6.75 behind H1
8	92	A 40 yds 7.0	0.0 behind H1
9	112	A 45 yds 3.0	8.0 in front H2
10	136	A 35 yds 2.0	5.75 in front H2
11	154	A 45 yds 1.0	11.25 in front H2
12	163	A 40 yds 4.0	13.50 behind H1
13	181	A 35 yds 0.0	7.0 in front H2
14	199	A 40 yds 4.0	12.0 in front H2
15	217	A 30 yds 4.0	12.0 in front H2
16	235	A 40 yds 2.0	4.0 in front H2
17	244	A 35 yds 2.0	0.0 in front H2
18	253	A 30 yds 2.0	4.0 behind H2
19	271	A 30 yds 1.0	1.50 in front H2
20	283	A 30 yds 4.0	4.0 behind H2
21	299	A 35 yds 2.0	2.0 in front H2
22	307	A 40 yds 1.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 0.0	8.0 in front H1
2	8	B 35 yds 0.0	8.0 in front H1
3	16	B 35 yds 0.0	8.0 in front H1
4	24	B 35 yds 5.0	8.0 in front H1
5	32	B 50 yds 0.0	8.0 in front H1
6	56	A 35 yds 0.0	0.0 behind H1
7	80	B 45 yds 6.0	8.25 behind H1
8	92	A 45 yds 2.0	0.0 behind H1
9	112	A 45 yds 6.0	8.0 in front H2
10	136	A 35 yds 4.0	5.25 in front H2
11	154	A 45 yds 4.0	13.50 in front H2
12	163	A 40 yds 6.0	10.75 behind H1
13	181	A 35 yds 4.0	7.0 in front H2
14	199	A 45 yds 0.0	12.0 in front H2
15	217	A 35 yds 2.0	12.0 in front H2
16	235	A 45 yds 0.0	4.0 in front H2
17	244	A 40 yds 0.0	0.0 in front H2
18	253	A 35 yds 0.0	4.0 behind H2
19	271	A 30 yds 7.0	1.50 behind H2
20	283	A 35 yds 0.0	4.0 behind H2
21	299	A 35 yds 6.0	2.0 in front H2
22	307	A 40 yds 5.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 0.0	11.0 in front H1
2	8	B 35 yds 0.0	11.0 in front H1
3	16	B 35 yds 0.0	11.0 in front H1
4	24	B 35 yds 1.0	8.0 in front H1
5	32	B 45 yds 4.0	8.0 in front H1
6	56	A 35 yds 4.0	0.0 behind H1
7	80	B 45 yds 4.0	9.75 behind H1
8	92	A 45 yds 5.0	0.0 behind H1
9	112	B 45 yds 7.0	8.0 in front H2
10	136	A 35 yds 6.0	4.75 in front H2
11	154	A 45 yds 6.0	11.75 behind H1
12	163	A 45 yds 0.0	7.50 behind H1
13	181	A 40 yds 0.0	7.0 in front H2
14	199	A 45 yds 4.0	12.0 in front H2
15	217	A 40 yds 0.0	12.0 in front H2
16	235	A 45 yds 6.0	4.0 in front H2
17	244	A 40 yds 6.0	0.0 in front H2
18	253	A 35 yds 6.0	4.0 behind H2
19	271	A 35 yds 4.0	4.25 behind H2
20	283	A 35 yds 4.0	4.0 behind H2
21	299	A 40 yds 2.0	2.0 in front H2
22	307	A 45 yds 1.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 0.0	14.0 in front H1
2	8	B 35 yds 0.0	14.0 in front H1
3	16	B 35 yds 0.0	14.0 in front H1
4	24	B 30 yds 5.0	8.0 in front H1
5	32	B 45 yds 0.0	8.0 in front H1
6	56	A 40 yds 0.0	0.0 behind H1
7	80	B 45 yds 2.0	11.0 behind H1
8	92	A 45 yds 7.0	0.0 behind H1
9	112	B 45 yds 4.0	8.0 in front H2
10	136	A 40 yds 0.0	4.50 in front H2
11	154	A 45 yds 7.0	8.75 behind H1
12	163	A 45 yds 1.0	3.75 behind H1
13	181	A 40 yds 4.0	7.0 in front H2
14	199	B 50 yds 0.0	12.0 in front H2
15	217	A 40 yds 6.0	12.0 in front H2
16	235	B 45 yds 4.0	4.0 in front H2
17	244	A 45 yds 4.0	0.0 in front H2
18	253	A 40 yds 4.0	4.0 behind H2
19	271	A 40 yds 1.0	7.25 behind H2
20	283	A 40 yds 0.0	4.0 behind H2
21	299	A 40 yds 6.0	2.0 in front H2
22	307	A 45 yds 5.0	2.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 0.0	12.0 behind Front
2	8	B 40 yds 0.0	12.0 behind Front
3	16	B 40 yds 0.0	12.0 behind Front
4	24	B 35 yds 5.0	14.0 in front H1
5	32	B 50 yds 0.0	14.0 in front H1
6	56	A 35 yds 0.0	6.0 in front H1
7	80	A 40 yds 5.0	1.25 behind H1
8	92	A 35 yds 4.0	0.0 behind H1
9	112	A 40 yds 0.0	8.0 in front H2
10	136	A 30 yds 2.0	7.75 in front H2
11	154	A 35 yds 5.0	8.50 in front H2
12	163	A 30 yds 5.0	12.50 in front H2
13	181	A 30 yds 0.0	13.0 in front H2
14	199	A 35 yds 0.0	12.0 in front H2
15	217	A 40 yds 0.0	12.0 behind H1
16	235	A 45 yds 4.0	8.0 in front H2
17	244	A 40 yds 4.0	4.0 in front H2
18	253	A 35 yds 4.0	0.0 in front H2
19	271	A 35 yds 4.0	0.25 in front H2
20	283	A 35 yds 4.0	8.0 in front H2
21	299	A 40 yds 2.0	14.0 in front H2
22	307	A 45 yds 1.0	14.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 5.0	12.0 behind Front
2	8	B 35 yds 5.0	12.0 behind Front
3	16	B 35 yds 5.0	12.0 behind Front
4	24	B 35 yds 2.0	14.0 in front H1
5	32	B 45 yds 5.0	14.0 in front H1
6	56	A 35 yds 3.0	6.0 in front H1
7	80	A 40 yds 7.0	2.75 behind H1
8	92	A 35 yds 7.0	0.0 behind H1
9	112	A 40 yds 3.0	8.0 in front H2
10	136	A 30 yds 4.0	7.25 in front H2
11	154	A 40 yds 0.0	8.25 in front H2
12	163	A 35 yds 1.0	11.75 in front H2
13	181	A 30 yds 0.0	10.0 in front H2
14	199	A 35 yds 2.0	12.0 in front H2
15	217	A 40 yds 6.0	12.0 behind H1
16	235	A 45 yds 6.0	8.0 in front H2
17	244	A 40 yds 6.0	4.0 in front H2
18	253	A 35 yds 6.0	0.0 in front H2
19	271	A 35 yds 6.0	0.75 behind H2
20	283	A 35 yds 6.0	10.0 in front H2
21	299	A 40 yds 4.0	12.0 behind H1
22	307	A 45 yds 3.0	12.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 2.0	12.0 behind Front
2	8	B 35 yds 2.0	12.0 behind Front
3	16	B 35 yds 2.0	12.0 behind Front
4	24	B 30 yds 7.0	14.0 in front H1
5	32	B 45 yds 2.0	14.0 in front H1
6	56	A 35 yds 6.0	6.0 in front H1
7	80	A 45 yds 2.0	4.0 behind H1
8	92	A 40 yds 1.0	0.0 behind H1
9	112	A 40 yds 5.0	8.0 in front H2
10	136	A 30 yds 6.0	6.75 in front H2
11	154	A 40 yds 3.0	8.75 in front H2
12	163	A 35 yds 5.0	11.75 in front H2
13	181	A 30 yds 0.0	7.0 in front H2
14	199	A 35 yds 4.0	12.0 in front H2
15	217	A 45 yds 4.0	12.0 behind H1
16	235	B 50 yds 0.0	8.0 in front H2
17	244	A 45 yds 0.0	4.0 in front H2
18	253	A 40 yds 0.0	0.0 in front H2
19	271	A 40 yds 0.0	1.75 behind H2
20	283	A 40 yds 0.0	12.0 in front H2
21	299	A 40 yds 6.0	10.0 behind H1
22	307	A 45 yds 5.0	10.0 behind H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 0.0	10.0 in front H1
2	8	B 40 yds 0.0	10.0 in front H1
3	16	B 40 yds 0.0	10.0 in front H1
4	24	B 40 yds 0.0	14.0 in front H1
5	32	A 45 yds 2.0	14.0 in front H1
6	56	A 30 yds 2.0	6.0 in front H1
7	80	A 35 yds 6.0	2.75 in front H1
8	92	A 30 yds 4.0	0.0 behind H1
9	112	A 35 yds 0.0	8.0 in front H2
10	136	A 25 yds 5.0	9.0 in front H2
11	154	A 30 yds 4.0	13.50 in front H2
12	163	A 25 yds 5.0	7.75 behind H1
13	181	A 30 yds 0.0	6.0 behind H1
14	199	A 25 yds 7.0	12.0 in front H2
15	217	A 25 yds 6.0	12.0 behind H1
16	235	A 40 yds 0.0	8.0 in front H2
17	244	A 35 yds 0.0	4.0 in front H2
18	253	A 30 yds 0.0	0.0 in front H2
19	271	A 30 yds 2.0	6.0 in front H2
20	283	A 30 yds 3.0	1.0 behind H2
21	299	A 35 yds 1.0	5.0 in front H2
22	307	A 40 yds 0.0	5.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 0.0	11.50 in front H1
2	8	B 40 yds 0.0	11.50 in front H1
3	16	B 40 yds 0.0	11.50 in front H1
4	24	B 40 yds 1.0	14.0 in front H1
5	32	A 45 yds 3.0	14.0 in front H1
6	56	A 30 yds 3.0	6.0 in front H1
7	80	A 40 yds 0.0	1.50 in front H1
8	92	A 30 yds 6.0	0.0 behind H1
9	112	A 35 yds 2.0	8.0 in front H2
10	136	A 25 yds 6.0	8.75 in front H2
11	154	A 30 yds 7.0	11.25 in front H2
12	163	A 25 yds 7.0	11.0 behind H1
13	181	A 30 yds 0.0	9.0 behind H1
14	199	A 30 yds 2.0	12.0 in front H2
15	217	A 30 yds 4.0	12.0 behind H1
16	235	A 40 yds 4.0	8.0 in front H2
17	244	A 35 yds 4.0	4.0 in front H2
18	253	A 30 yds 4.0	0.0 in front H2
19	271	A 30 yds 5.0	4.0 in front H2
20	283	A 30 yds 6.0	2.0 in front H2
21	299	A 35 yds 4.0	8.0 in front H2
22	307	A 40 yds 3.0	8.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 0.0	13.0 in front H1
2	8	B 40 yds 0.0	13.0 in front H1
3	16	B 40 yds 0.0	13.0 in front H1
4	24	B 40 yds 3.0	14.0 in front H1
5	32	A 45 yds 5.0	14.0 in front H1
6	56	A 30 yds 5.0	6.0 in front H1
7	80	A 40 yds 2.0	0.25 in front H1
8	92	A 35 yds 1.0	0.0 behind H1
9	112	A 35 yds 5.0	8.0 in front H2
10	136	A 30 yds 0.0	8.25 in front H2
11	154	A 35 yds 2.0	9.50 in front H2
12	163	A 30 yds 2.0	13.50 behind H1
13	181	A 30 yds 0.0	12.0 behind H1
14	199	A 30 yds 5.0	12.0 in front H2
15	217	A 35 yds 2.0	12.0 behind H1
16	235	A 45 yds 0.0	8.0 in front H2
17	244	A 40 yds 0.0	4.0 in front H2
18	253	A 35 yds 0.0	0.0 in front H2
19	271	A 35 yds 1.0	2.25 in front H2
20	283	A 35 yds 1.0	5.0 in front H2
21	299	A 35 yds 7.0	11.0 in front H2
22	307	A 40 yds 6.0	11.0 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 0.0	0.0 behind H1
2	8	A 45 yds 0.0	0.0 behind H1
3	16	A 45 yds 0.0	0.0 behind H1
4	24	A 45 yds 0.0	0.0 behind H1
5	32	A 45 yds 0.0	0.0 behind H1
6	56	A 45 yds 0.0	0.0 behind H1
7	80	B 40 yds 1.0	9.50 in front H1
8	92	B 30 yds 7.0	12.50 behind Front
9	112	B 45 yds 0.0	3.25 in front H1
10	136	B 45 yds 3.0	4.25 in front H1
11	154	A 45 yds 3.0	6.50 in front H2
12	163	A 45 yds 2.0	6.75 in front H2
13	181	B 40 yds 5.0	13.50 behind H2
14	199	B 40 yds 1.0	6.75 in front Back
15	217	B 40 yds 1.0	6.75 in front Back
16	235	B 30 yds 6.0	7.25 behind H2
17	244	B 30 yds 1.0	1.25 behind H2
18	253	B 30 yds 1.0	1.25 behind H2
19	271	B 30 yds 3.0	4.0 in front H2
20	283	B 25 yds 5.0	7.50 behind H1
21	299	B 35 yds 0.0	4.75 in front H1
22	307	B 35 yds 0.0	4.75 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 4.0	4.0 in front H1
2	8	B 40 yds 4.0	4.0 in front H1
3	16	B 40 yds 4.0	4.0 in front H1
4	24	B 40 yds 4.0	4.0 in front H1
5	32	B 40 yds 4.0	4.0 in front H1
6	56	B 40 yds 4.0	4.0 in front H1
7	80	B 40 yds 0.0	12.25 in front H1
8	92	B 30 yds 7.0	11.75 in front H1
9	112	B 40 yds 2.0	2.75 in front H1
10	136	B 45 yds 5.0	5.50 behind H1
11	154	A 45 yds 7.0	8.0 in front H2
12	163	A 45 yds 7.0	8.25 in front H2
13	181	B 35 yds 7.0	10.25 behind H2
14	199	B 35 yds 3.0	10.0 in front Back
15	217	B 35 yds 3.0	10.0 in front Back
16	235	B 30 yds 0.0	4.0 behind H2
17	244	B 25 yds 4.0	3.0 in front H2
18	253	B 25 yds 4.0	3.0 in front H2
19	271	B 30 yds 1.0	9.0 in front H2
20	283	B 30 yds 0.0	2.0 behind H1
21	299	B 35 yds 0.0	9.75 in front H1
22	307	B 35 yds 0.0	9.75 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 0.0	12.0 behind H1
2	8	B 35 yds 0.0	12.0 behind H1
3	16	B 35 yds 0.0	12.0 behind H1
4	24	B 35 yds 0.0	12.0 behind H1
5	32	B 35 yds 0.0	12.0 behind H1
6	56	B 35 yds 0.0	12.0 behind H1
7	80	B 35 yds 7.0	4.0 in front H1
8	92	B 35 yds 5.0	11.0 behind Front
9	112	A 45 yds 4.0	6.75 in front H1
10	136	A 40 yds 1.0	9.50 in front H1
11	154	A 30 yds 3.0	10.50 in front H2
12	163	A 30 yds 2.0	10.50 in front H2
13	181	A 35 yds 0.0	13.0 behind H2
14	199	A 35 yds 3.0	2.75 in front Back
15	217	A 35 yds 3.0	2.75 in front Back
16	235	A 40 yds 6.0	11.25 behind H2
17	244	A 45 yds 4.0	10.50 behind H2
18	253	A 45 yds 4.0	10.50 behind H2
19	271	B 45 yds 0.0	11.50 behind H2
20	283	B 30 yds 4.0	5.50 behind H2
21	299	B 35 yds 0.0	7.75 in front H2
22	307	B 35 yds 0.0	7.75 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 4.0	4.0 behind H2
2	8	A 45 yds 4.0	4.0 behind H2
3	16	A 45 yds 4.0	4.0 behind H2
4	24	A 45 yds 4.0	4.0 behind H2
5	32	A 45 yds 4.0	4.0 behind H2
6	56	A 45 yds 4.0	4.0 behind H2
7	80	B 35 yds 4.0	3.25 in front H1
8	92	B 40 yds 1.0	11.0 behind Front
9	112	A 40 yds 7.0	9.75 in front H1
10	136	A 35 yds 0.0	12.0 in front H1
11	154	A 30 yds 2.0	8.75 in front H1
12	163	A 35 yds 4.0	6.25 in front H1
13	181	A 45 yds 1.0	10.0 behind H1
14	199	A 35 yds 4.0	10.0 behind H1
15	217	B 45 yds 5.0	10.0 behind H1
16	235	B 35 yds 3.0	0.0 behind H1
17	244	B 35 yds 3.0	0.0 behind H1
18	253	B 35 yds 3.0	0.0 behind H1
19	271	B 30 yds 6.0	6.50 in front H1
20	283	B 45 yds 0.0	9.75 in front H1
21	299	A 45 yds 4.0	12.25 behind Front
22	307	A 45 yds 4.0	12.25 behind Front

Name:COLOR GUARD Ustr.Lbl:X 3D™Lbl:...87

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 0.0	12.0 in front H2
2	8	A 40 yds 0.0	12.0 in front H2
3	16	A 40 yds 0.0	12.0 in front H2
4	24	A 40 yds 0.0	12.0 in front H2
5	32	A 40 yds 0.0	12.0 in front H2
6	56	A 40 yds 0.0	12.0 in front H2
7	80	B 40 yds 1.0	6.50 in front H1
8	92	B 35 yds 1.0	11.0 behind Front
9	112	B 45 yds 5.0	4.50 in front H1
10	136	A 45 yds 3.0	6.75 in front H1
11	154	A 35 yds 4.0	6.75 in front H2
12	163	A 35 yds 3.0	6.75 in front H2
13	181	A 40 yds 5.0	11.50 in front Back
14	199	A 45 yds 2.0	2.25 in front Back
15	217	A 45 yds 2.0	2.25 in front Back
16	235	B 45 yds 3.0	11.75 behind H2
17	244	B 40 yds 5.0	8.75 behind H2
18	253	B 40 yds 5.0	8.75 behind H2
19	271	B 35 yds 6.0	7.75 behind H2
20	283	B 25 yds 6.0	3.75 in front H2
21	299	B 35 yds 0.0	10.50 behind H1
22	307	B 35 yds 0.0	10.50 behind H1

Name:COLOR GUARD Ustr.Lbl:X 3D™Lbl:...88

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 0.0	12.0 behind Front
2	8	A 30 yds 0.0	12.0 behind Front
3	16	A 30 yds 0.0	12.0 behind Front
4	24	A 30 yds 0.0	12.0 behind Front
5	32	A 30 yds 0.0	12.0 behind Front
6	56	A 30 yds 0.0	12.0 behind Front
7	80	A 40 yds 3.0	13.25 in front H2
8	92	A 35 yds 7.0	8.0 behind H1
9	112	A 35 yds 7.0	3.0 behind H1
10	136	A 30 yds 3.0	1.25 behind H1
11	154	A 30 yds 0.0	8.25 in front H1
12	163	A 35 yds 0.0	4.25 in front H1
13	181	A 40 yds 4.0	10.0 behind H1
14	199	A 30 yds 7.0	10.0 behind H1
15	217	A 45 yds 6.0	10.0 behind H1
16	235	B 40 yds 0.0	0.0 behind H1
17	244	B 40 yds 0.0	0.0 behind H1
18	253	B 40 yds 0.0	0.0 behind H1
19	271	B 45 yds 0.0	10.50 behind Front
20	283	A 40 yds 3.0	12.50 behind Front
21	299	A 35 yds 0.0	8.0 behind Front
22	307	A 35 yds 0.0	8.0 behind Front

Name:COLOR GUARD Ustr.Lbl:X 3D™Lbl:...89

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 0.0	12.0 behind H2
2	8	A 35 yds 0.0	12.0 behind H2
3	16	A 35 yds 0.0	12.0 behind H2
4	24	A 35 yds 0.0	12.0 behind H2
5	32	A 35 yds 0.0	12.0 behind H2
6	56	A 35 yds 0.0	12.0 behind H2
7	80	B 30 yds 7.0	12.25 in front H1
8	92	B 35 yds 4.0	6.0 in front H1
9	112	B 40 yds 5.0	2.75 in front H1
10	136	A 30 yds 5.0	2.25 in front H1
11	154	A 25 yds 0.0	7.25 behind H1
12	163	A 20 yds 7.0	7.0 behind H1
13	181	A 25 yds 0.0	0.0 in front H2
14	199	A 25 yds 0.0	10.0 in front Back
15	217	A 25 yds 0.0	10.0 in front Back
16	235	A 30 yds 3.0	4.0 behind H2
17	244	A 30 yds 7.0	6.50 behind H2
18	253	A 30 yds 7.0	6.50 behind H2
19	271	A 45 yds 0.0	10.0 behind H2
20	283	B 40 yds 4.0	12.0 behind H2
21	299	B 35 yds 0.0	7.50 behind H2
22	307	B 35 yds 0.0	7.50 behind H2

Name:COLOR GUARD Ustr.Lbl:X 3D™Lbl:...90

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 3.0	5.0 behind H2
2	8	B 35 yds 3.0	5.0 behind H2
3	16	B 35 yds 3.0	5.0 behind H2
4	24	B 35 yds 3.0	5.0 behind H2
5	32	B 35 yds 3.0	5.0 behind H2
6	56	B 35 yds 3.0	5.0 behind H2
7	80	B 35 yds 2.0	13.75 behind Front
8	92	B 35 yds 0.0	6.0 in front H1
9	112	B 35 yds 7.0	2.75 in front H1
10	136	A 35 yds 7.0	0.25 behind H1
11	154	A 25 yds 6.0	13.50 in front H2
12	163	A 25 yds 6.0	13.50 in front H2
13	181	A 30 yds 2.0	9.75 behind H2
14	199	A 30 yds 5.0	4.50 in front Back
15	217	A 30 yds 5.0	4.50 in front Back
16	235	A 40 yds 0.0	9.50 behind H2
17	244	A 40 yds 5.0	9.75 behind H2
18	253	A 40 yds 5.0	9.75 behind H2
19	271	B 45 yds 5.0	12.25 behind H2
20	283	B 35 yds 1.0	8.75 behind H2
21	299	B 35 yds 0.0	2.75 in front H2
22	307	B 35 yds 0.0	2.75 in front H2

Name:COLOR GUARD Ustr.Lbl:X 3D™Lbl:...91

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 0.0	8.0 in front H1
2	8	B 25 yds 0.0	8.0 in front H1
3	16	B 25 yds 0.0	8.0 in front H1
4	24	B 25 yds 0.0	8.0 in front H1
5	32	B 25 yds 0.0	8.0 in front H1
6	56	B 25 yds 0.0	8.0 in front H1
7	80	B 35 yds 5.0	13.75 behind Front
8	92	B 30 yds 7.0	7.75 in front H1
9	112	B 35 yds 4.0	3.0 in front H1
10	136	A 45 yds 0.0	2.75 behind H1
11	154	A 40 yds 1.0	5.75 in front H2
12	163	A 40 yds 0.0	6.0 in front H2
13	181	A 45 yds 4.0	11.50 in front Back
14	199	B 45 yds 6.0	2.75 in front Back
15	217	B 45 yds 6.0	2.75 in front Back
16	235	B 40 yds 3.0	11.25 behind H2
17	244	B 35 yds 6.0	7.25 behind H2
18	253	B 35 yds 6.0	7.25 behind H2
19	271	B 35 yds 1.0	4.50 behind H2
20	283	B 25 yds 4.0	9.50 in front H2
21	299	B 35 yds 0.0	5.50 behind H1
22	307	B 35 yds 0.0	5.50 behind H1

Name:COLOR GUARD Ustr.Lbl:X 3D™Lbl:...92

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 0.0	12.0 in front Back
2	8	A 25 yds 0.0	12.0 in front Back
3	16	A 25 yds 0.0	12.0 in front Back
4	24	A 25 yds 0.0	12.0 in front Back
5	32	A 25 yds 2.0	10.0 behind H2
6	56	A 35 yds 0.0	11.0 in front H2
7	80	A 35 yds 0.0	4.0 in front H2
8	92	A 35 yds 7.0	10.0 in front H2
9	112	A 35 yds 7.0	13.0 behind H1
10	136	A 30 yds 0.0	11.0 behind H1
11	154	A 25 yds 5.0	8.75 in front H1
12	163	A 30 yds 6.0	6.75 in front H1
13	181	A 40 yds 4.0	5.0 behind H1
14	199	A 30 yds 7.0	5.0 behind H1
15	217	A 45 yds 6.0	5.0 behind H1
16	235	B 40 yds 0.0	3.50 in front H1
17	244	B 40 yds 0.0	3.50 in front H1
18	253	B 40 yds 0.0	3.50 in front H1
19	271	B 45 yds 5.0	9.75 behind Front
20	283	A 35 yds 6.0	10.75 behind Front
21	299	A 30 yds 3.0	7.0 behind Front
22	307	A 30 yds 3.0	7.0 behind Front

Name:COLOR GUARD Usr.Lbl:X 3D™Lbl:..93

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 1.0	7.50 in front Back
2	8	A 30 yds 1.0	7.50 in front Back
3	16	A 30 yds 1.0	7.50 in front Back
4	24	A 30 yds 1.0	7.50 in front Back
5	32	A 30 yds 2.0	12.50 in front Back
6	56	A 35 yds 0.0	1.0 in front H2
7	80	A 35 yds 6.0	0.50 behind H2
8	92	A 45 yds 1.0	10.0 in front H2
9	112	A 45 yds 1.0	13.0 behind H1
10	136	A 35 yds 2.0	13.50 behind H1
11	154	A 25 yds 4.0	12.50 behind Front
12	163	A 30 yds 7.0	11.75 in front H1
13	181	A 45 yds 1.0	0.0 behind H1
14	199	A 35 yds 4.0	0.0 behind H1
15	217	B 45 yds 5.0	0.0 behind H1
16	235	B 35 yds 3.0	6.75 in front H1
17	244	B 35 yds 3.0	6.75 in front H1
18	253	B 35 yds 3.0	6.75 in front H1
19	271	B 35 yds 6.0	13.75 in front H1
20	283	A 45 yds 5.0	12.75 in front H1
21	299	A 40 yds 2.0	9.75 behind Front
22	307	A 40 yds 2.0	9.75 behind Front

Name:COLOR GUARD Usr.Lbl:X 3D™Lbl:..94

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 4.0	4.75 in front Back
2	8	A 35 yds 4.0	4.75 in front Back
3	16	A 35 yds 4.0	4.75 in front Back
4	24	A 35 yds 4.0	4.75 in front Back
5	32	A 35 yds 2.0	7.0 in front Back
6	56	A 35 yds 0.0	9.0 behind H2
7	80	A 40 yds 5.0	5.25 behind H2
8	92	B 45 yds 5.0	10.0 in front H2
9	112	B 45 yds 5.0	13.0 behind H1
10	136	A 40 yds 4.0	11.75 in front H2
11	154	A 30 yds 2.0	10.50 behind Front
12	163	A 35 yds 2.0	13.50 behind Front
13	181	A 45 yds 6.0	0.0 behind H1
14	199	A 40 yds 1.0	0.0 behind H1
15	217	B 45 yds 0.0	0.0 behind H1
16	235	B 30 yds 6.0	6.75 in front H1
17	244	B 30 yds 6.0	6.75 in front H1
18	253	B 30 yds 6.0	6.75 in front H1
19	271	B 30 yds 1.0	3.0 behind H1
20	283	B 35 yds 6.0	6.75 in front H1
21	299	B 45 yds 1.0	14.0 in front H1
22	307	B 45 yds 1.0	14.0 in front H1

Name:COLOR GUARD Usr.Lbl:X 3D™Lbl:..95

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 6.0	3.75 in front Back
2	8	A 40 yds 6.0	3.75 in front Back
3	16	A 40 yds 6.0	3.75 in front Back
4	24	A 45 yds 4.0	14.0 behind H2
5	32	A 40 yds 2.0	6.0 behind H2
6	56	A 35 yds 6.0	3.0 in front H2
7	80	A 40 yds 1.0	6.50 in front H2
8	92	A 40 yds 4.0	13.0 behind H1
9	112	A 40 yds 4.0	8.0 behind H1
10	136	A 30 yds 6.0	7.50 behind H1
11	154	A 25 yds 4.0	10.75 in front H1
12	163	A 30 yds 3.0	9.75 in front H1
13	181	A 40 yds 4.0	0.0 behind H1
14	199	A 30 yds 7.0	0.0 behind H1
15	217	A 45 yds 6.0	0.0 behind H1
16	235	B 40 yds 0.0	6.75 in front H1
17	244	B 40 yds 0.0	6.75 in front H1
18	253	B 40 yds 0.0	6.75 in front H1
19	271	A 45 yds 5.0	10.50 behind Front
20	283	A 35 yds 1.0	9.50 behind Front
21	299	A 25 yds 6.0	6.0 behind Front
22	307	A 25 yds 6.0	6.0 behind Front

Name:COLOR GUARD Usr.Lbl:X 3D™Lbl:..96

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 6.0	4.75 in front Back
2	8	B 45 yds 6.0	4.75 in front Back
3	16	B 45 yds 6.0	4.75 in front Back
4	24	B 45 yds 2.0	14.0 behind H2
5	32	B 45 yds 7.0	11.50 behind H2
6	56	A 45 yds 6.0	3.0 in front H2
7	80	A 45 yds 0.0	1.75 in front H2
8	92	A 45 yds 6.0	13.0 behind H1
9	112	A 45 yds 6.0	8.0 behind H1
10	136	A 40 yds 0.0	10.0 behind H1
11	154	A 25 yds 5.0	10.50 behind Front
12	163	A 30 yds 4.0	13.75 behind Front
13	181	A 45 yds 1.0	5.0 in front H1
14	199	A 35 yds 4.0	5.0 in front H1
15	217	B 45 yds 5.0	5.0 in front H1
16	235	B 35 yds 3.0	10.0 in front H1
17	244	B 35 yds 3.0	10.0 in front H1
18	253	B 35 yds 3.0	10.0 in front H1
19	271	B 40 yds 2.0	11.75 behind Front
20	283	A 45 yds 0.0	13.75 behind Front
21	299	A 35 yds 5.0	9.0 behind Front
22	307	A 35 yds 5.0	9.0 behind Front

Name:COLOR GUARD Usr.Lbl:X 3D™Lbl:..97

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 40 yds 4.0	7.50 in front Back
2	8	B 40 yds 4.0	7.50 in front Back
3	16	B 40 yds 4.0	7.50 in front Back
4	24	B 40 yds 0.0	14.0 behind H2
5	32	B 40 yds 0.0	11.0 in front Back
6	56	B 40 yds 1.0	3.0 in front H2
7	80	A 45 yds 4.0	9.75 behind H2
8	92	B 40 yds 3.0	10.0 in front H2
9	112	B 40 yds 3.0	13.0 behind H1
10	136	A 45 yds 5.0	9.25 in front H2
11	154	A 30 yds 4.0	10.75 in front H1
12	163	A 35 yds 2.0	8.75 in front H1
13	181	A 45 yds 1.0	5.0 behind H1
14	199	A 35 yds 4.0	5.0 behind H1
15	217	B 45 yds 5.0	5.0 behind H1
16	235	B 35 yds 3.0	3.50 in front H1
17	244	B 35 yds 3.0	3.50 in front H1
18	253	B 35 yds 3.0	3.50 in front H1
19	271	B 35 yds 1.0	10.50 in front H1
20	283	B 45 yds 5.0	11.25 in front H1
21	299	A 40 yds 7.0	11.0 behind Front
22	307	A 40 yds 7.0	11.0 behind Front

Name:COLOR GUARD Usr.Lbl:X 3D™Lbl:..98

File #1:South Hills 2008 Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 35 yds 2.0	12.25 in front Back
2	8	B 35 yds 2.0	12.25 in front Back
3	16	B 30 yds 6.0	9.0 behind H2
4	24	B 35 yds 7.0	9.0 behind H2
5	32	B 45 yds 1.0	8.0 behind H2
6	56	A 45 yds 1.0	9.0 in front H2
7	80	A 45 yds 2.0	8.75 in front H2
8	92	A 45 yds 1.0	8.0 behind H1
9	112	A 45 yds 1.0	3.0 behind H1
10	136	A 35 yds 5.0	3.75 behind H1
11	154	A 25 yds 3.0	13.25 in front H1
12	163	A 30 yds 0.0	12.25 in front H1
13	181	A 40 yds 4.0	5.0 in front H1
14	199	A 30 yds 7.0	5.0 in front H1
15	217	A 45 yds 6.0	5.0 in front H1
16	235	B 40 yds 0.0	10.0 in front H1
17	244	B 40 yds 0.0	10.0 in front H1
18	253	B 40 yds 0.0	10.0 in front H1
19	271	A 45 yds 0.0	12.0 behind Front
20	283	A 30 yds 4.0	8.0 behind Front
21	299	A 25 yds 2.0	5.0 behind Front
22	307	A 25 yds 2.0	5.0 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 2.0	9.25 behind H2
2	8	B 30 yds 2.0	9.25 behind H2
3	16	B 30 yds 6.0	4.0 in front H2
4	24	B 35 yds 7.0	4.0 in front H2
5	32	B 35 yds 6.0	1.25 in front H2
6	56	B 40 yds 7.0	9.0 in front H2
7	80	B 45 yds 6.0	4.0 in front H2
8	92	B 45 yds 5.0	8.0 behind H1
9	112	B 45 yds 5.0	3.0 behind H1
10	136	A 40 yds 6.0	6.50 behind H1
11	154	A 30 yds 0.0	9.75 behind Front
12	163	A 30 yds 7.0	10.75 behind Front
13	181	A 45 yds 6.0	5.0 in front H1
14	199	A 40 yds 1.0	5.0 in front H1
15	217	B 45 yds 0.0	5.0 in front H1
16	235	B 30 yds 6.0	10.0 in front H1
17	244	B 30 yds 6.0	10.0 in front H1
18	253	B 30 yds 6.0	10.0 in front H1
19	271	B 30 yds 3.0	2.0 in front H1
20	283	B 40 yds 3.0	8.50 in front H1
21	299	B 45 yds 6.0	13.0 behind Front
22	307	B 45 yds 6.0	13.0 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 25 yds 2.0	1.50 behind H2
2	8	B 25 yds 2.0	1.50 behind H2
3	16	B 30 yds 2.0	6.0 in front H2
4	24	B 35 yds 3.0	6.0 in front H2
5	32	B 30 yds 4.0	10.75 in front H2
6	56	B 30 yds 7.0	9.0 in front H2
7	80	A 45 yds 7.0	2.75 behind H2
8	92	B 45 yds 0.0	13.0 behind H1
9	112	B 45 yds 0.0	8.0 behind H1
10	136	A 45 yds 2.0	12.75 behind H1
11	154	A 30 yds 4.0	12.50 behind Front
12	163	A 35 yds 5.0	11.75 in front H1
13	181	A 45 yds 6.0	5.0 behind H1
14	199	A 40 yds 1.0	5.0 behind H1
15	217	B 45 yds 0.0	5.0 behind H1
16	235	B 30 yds 6.0	3.50 in front H1
17	244	B 30 yds 6.0	3.50 in front H1
18	253	B 30 yds 6.0	3.50 in front H1
19	271	B 30 yds 0.0	8.25 behind H1
20	283	B 35 yds 1.0	5.50 in front H1
21	299	B 40 yds 4.0	13.0 in front H1
22	307	B 40 yds 4.0	13.0 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 5.0	7.50 in front H2
2	8	B 20 yds 5.0	7.50 in front H2
3	16	B 20 yds 4.0	6.0 in front H2
4	24	B 25 yds 5.0	6.0 in front H2
5	32	B 25 yds 2.0	8.0 behind H1
6	56	B 20 yds 7.0	9.0 in front H2
7	80	B 40 yds 7.0	0.50 behind H2
8	92	B 40 yds 3.0	8.0 behind H1
9	112	B 40 yds 3.0	3.0 behind H1
10	136	B 45 yds 7.0	9.25 behind H1
11	154	A 30 yds 5.0	13.25 in front H1
12	163	A 35 yds 7.0	9.25 in front H1
13	181	A 45 yds 6.0	10.0 behind H1
14	199	A 40 yds 1.0	10.0 behind H1
15	217	B 45 yds 0.0	10.0 behind H1
16	235	B 30 yds 6.0	0.0 behind H1
17	244	B 30 yds 6.0	0.0 behind H1
18	253	B 30 yds 6.0	0.0 behind H1
19	271	B 30 yds 0.0	13.75 behind H1
20	283	B 30 yds 4.0	4.0 in front H1
21	299	B 40 yds 0.0	12.0 in front H1
22	307	B 40 yds 0.0	12.0 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 1.0	10.75 behind H1
2	8	B 30 yds 0.0	0.0 behind H1
3	16	B 35 yds 6.0	0.0 behind H1
4	24	B 30 yds 6.0	0.0 behind H1
5	32	B 35 yds 5.0	7.0 behind H1
6	56	B 40 yds 2.0	11.0 behind Front
7	80	B 30 yds 6.0	6.50 in front H1
8	92	B 40 yds 1.0	9.50 in front H1
9	112	A 45 yds 7.0	5.75 in front H1
10	136	A 40 yds 5.0	3.25 in front H1
11	154	A 30 yds 7.0	8.25 in front H2
12	163	A 30 yds 6.0	8.25 in front H2
13	181	A 35 yds 6.0	12.75 in front Back
14	199	A 40 yds 3.0	2.25 in front Back
15	217	A 40 yds 3.0	2.25 in front Back
16	235	A 45 yds 6.0	11.75 behind H2
17	244	B 45 yds 4.0	10.0 behind H2
18	253	B 45 yds 4.0	10.0 behind H2
19	271	B 40 yds 2.0	10.25 behind H2
20	283	B 30 yds 0.0	1.25 behind H2
21	299	B 35 yds 0.0	12.75 in front H2
22	307	B 35 yds 0.0	12.75 in front H2

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 7.0	0.0 behind H1
2	8	B 20 yds 4.0	6.0 in front H1
3	16	B 30 yds 4.0	0.0 behind H1
4	24	B 25 yds 4.0	0.0 behind H1
5	32	B 25 yds 5.0	3.0 behind H1
6	56	B 30 yds 3.0	11.0 behind Front
7	80	B 30 yds 6.0	9.50 in front H1
8	92	B 40 yds 0.0	6.0 in front H1
9	112	B 45 yds 2.0	3.75 in front H1
10	136	A 35 yds 3.0	5.75 in front H1
11	154	A 25 yds 3.0	11.25 behind H1
12	163	A 25 yds 2.0	11.0 behind H1
13	181	A 25 yds 4.0	5.25 behind H2
14	199	A 25 yds 6.0	6.75 in front Back
15	217	A 25 yds 6.0	6.75 in front Back
16	235	A 35 yds 1.0	7.25 behind H2
17	244	A 35 yds 6.0	8.50 behind H2
18	253	A 35 yds 6.0	8.50 behind H2
19	271	A 45 yds 5.0	11.50 behind H2
20	283	B 35 yds 6.0	11.0 behind H2
21	299	B 35 yds 0.0	2.50 behind H2
22	307	B 35 yds 0.0	2.50 behind H2

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 4.0	8.0 behind Front
2	8	A 30 yds 4.0	8.0 behind Front
3	16	A 30 yds 4.0	8.0 behind Front
4	24	A 30 yds 4.0	8.0 behind Front
5	32	A 30 yds 4.0	8.0 behind Front
6	56	A 30 yds 4.0	8.0 behind Front
7	80	B 35 yds 1.0	4.0 in front H1
8	92	B 40 yds 1.0	13.25 in front H1
9	112	A 45 yds 1.0	8.25 in front H1
10	136	A 45 yds 6.0	0.75 in front H1
11	154	A 40 yds 6.0	5.75 in front H2
12	163	A 40 yds 5.0	5.75 in front H2
13	181	B 45 yds 4.0	12.25 in front Back
14	199	B 45 yds 0.0	4.50 in front Back
15	217	B 45 yds 0.0	4.50 in front Back
16	235	B 35 yds 5.0	9.50 behind H2
17	244	B 35 yds 0.0	4.50 behind H2
18	253	B 35 yds 0.0	4.50 behind H2
19	271	B 30 yds 6.0	0.50 behind H2
20	283	B 25 yds 4.0	12.75 behind H1
21	299	B 35 yds 0.0	0.50 behind H1
22	307	B 35 yds 0.0	0.50 behind H1

